



We make
professional things.



20 years warranty

TAIXING LOCK INDUSTRY MANUFACTURING CO., LTD.

中山太星製鎖有限公司

電話(Tel): +86-760-22113237 / +86-760-22106898 / +86-760-22109898

傳真(Fax): +86-760-22101221

地址：中國廣東省中山市東升鎮高沙麗城路太星工業園

Address: Taixing Industrial Park, Gaosha Licheng Rd., Dongsheng Town,
Zhongshan City, Guangdong Province China.

E-mail: top@fighterlock.net

網址(Website): www.fighterlock.com

FIGHTER (ITALY)INTERNATIONAL LIMITED

U.S.Office:

U.S.A.FIGHTER HARDWARE CO., LTD.

43-57 DOUGLSTON PARKWAY NY 11363 U.S.A

本企業已通過

ISO9001 質量管理體系認證

BS EN 12209:2003檢測

All upgrade editions and products supply are subject to change without any further notice.
2016 year



FIGHTER
TOP SECURITY PRODUCT
PROFESSIONAL HARDWARE
TAIXING LOCK INDUSTRY MANUFACTURING CO.,LTD.

TAIXING HARDWARE

PRODUCT CATALOGUE

太星五金產品目錄。

TAIXING LOCK INDUSTRY MANUFACTURING CO., LTD.
中山太星製鎖有限公司

FIGHTER 武士

—
20 years warranty

We make
professional things.

"Quality, Development, Integrity and Efficiency" is always regarded as our slogan. We also follow the principle of "Quality first, customer foremost" through developing new products and establishing new markets.

CONTENT

目錄

A

Door Hardware 門用五金



07-17
304 Stainless Steel
Hinge
304不銹鋼門鉸



18-25
Brass Hinge
銅門鉸




26-35
Steel Hinge
鐵門鉸




36
Door Catcher
門吸



37-40
Door Stopper
門頂



41-42
Security Guard
防盜扣



43-48
Bolt
插銷



49-50
Door Viewer
貓眼

B

Glass Hardware 玻璃五金



59-61
Glass Door Lock
玻璃門鎖



62 -79
Glass Door Clip
玻璃門夾



80-88
Glass Door Handle
玻璃門拉手



89-90
Glass Connector
玻璃鏈接件



91-92
Floor Spring Hing
地彈簧

2

51-52
Figure Board
標示板



53-56
Door Closer
閉門器

C

Furniture Hardware 家具五金



95-106
Drawer Slide
抽屜導軌



107-110
Cabinet Hinge
櫃鉸



111-115
Furniture Feet
家私腳



116
Bracket
三角支架



117-132
Furniture Handles
家具拉手

E

OTHER HARDWARE 其他五金




151-152
Net Rack
窗撐



153
Cast Floor Drain
地漏

D

Bathroom Hardware 衛浴五金



136
Net Rack
儲物架



137-139
Towel Rack
毛巾架



140-141
Clothes Hanger
挂衣架



142-143
Cup Holder
杯托



144
Dressing Mirror
化妝鏡



145-148
Paper Holder
紙巾筒

COMPANY
INTRODUCTION
企業簡介。

Our company is a professional manufacturer of door locks and building hardware, devoted to maintain home and office security. With the cordial cooperation and strong support of friends across the world, now we have won good reputation by offering reliable products and services to our costumers. Also, we have established a professional team with over 30 years manufacturing experience and possess over 35 invention patents rights.

We own a specialized factory that occupies 20,000m² with hundreds of staffs and advanced manufacturing equipment in Zhongshan, Guangdong. Also we have passed the ISO9001 quality system authentication. Our products are exported to over 40 countries and regions, which include door locks, padlock, building hardware. All kinds of regular keyways such as Kwikset, Schlage, Yale, Wesiser&C4, are available for your choice. Also we actively develop new products that combined digital, intelligent and mechanical technologies as an organic whole, including the one of the keyless products that can be unlocked via Bluetooth.

“Quality, Development, Integrity and Efficiency” is always regarded as our slogan. We also follow the principle of “Quality first. customer foremost” through developing new products and establishing new markets.

Now we are imbued with passion along with you, hoping to enjoy the prosperous future with you.

TAIXING LOCK INDUSTRY MANUFACTURING CO., LTD.
中山太星製鎖有限公司

General manager: 

Product Patent Certificate
產品專利證書



FIGHTER 武士
TOP SECURITY PRODUCT www.fighterlock.com



FIGHTER®
TOP SECURITY PRODUCT

20 years warranty

FIGHTER


TOP SECURITY PRODUCT www.fighterlock.com

EVERY PERFECTION,
EVERY BRAND
NEW POINT

每一次缔造完美，每一次崭新起点

DOOR HARDWARE


門用五金



304 Stainless Steel Hinge
304不銹鋼門鉸



Door Viewer
猫眼




Brass Hinge
銅門鉸



Figure Board
標示板



Steel Hinge
鐵門鉸




Door Closer
閉門器



Door Catcher
門吸




Security Guard
防盜扣



Bolt
插銷




Door Stopper
門頂



SS SP PVD

SS SP PVP


MODEL NO.	DIMENSION(HxWxT)
SS-FH-01	2.0 " x 1 $\frac{3}{8}$ " x 1.2mm
SS-FH-02	2.0 " x 1 $\frac{3}{8}$ " x 1.0mm
SS-FH-03	3.0 " x 2 $\frac{7}{8}$ " x 2.0mm
SS-FH-04	3 $\frac{1}{2}$ " x 2 $\frac{7}{8}$ " x 2.5mm
SS-FH-05	4.0 " x 3 $\frac{3}{4}$ " x 3.0mm



SS SP PVD


SS SP PV

MODEL NO.	DIMENSION(HxWxT)
SS302520-RH	3.0 " x2.5 " x2.0mm
SS303020-RH	3.0 " x3.0 " x2.0mm
SS403020-RH	4.0 " x3.0 " x2.0mm
SS403025-RH	4.0 " x3.0 " x2.5mm
SS403030-RH	4.0 " x3.0 " x3.0mm



SS SP PVD

SS SP PV




SS SP PVD

A close-up photograph of a Fighter 6000 hinge. The hinge is made of a dark, metallic material. It features a central vertical pin with four circular holes on each side, arranged in a vertical line. The word "FIGHTER" is embossed on the right-hand plate.

SS SP PV


MODEL NO.	DIMENSION (HxWxT)
SS404020-PN	4.0 " x4.0 " x2.0mm
SS404025-PN	4.0 " x4.0 " x2.5mm
SS404030-PN	4.0 " x4.0 " x3.0mm
SS454030-PN	4.5 " x4.0 " x3.0mm
SS503025-PN	5.0 " x3.0 " x2.5mm
SS503030-PN	5.0 " x3.0 " x3.0mm
SS503530-PN	5.0 " x3.5 " x3.0mm
SS504030-PN	5.0 " x4.0 " x3.0mm



MATERIAL: Stainless Steel
BEARINGS: 4 pcs




MODEL NO.	DIMENSION(HxWxT)
SS353020-4BB-FHP	3.5 " x3.0 " x2.0mm
SS353025-4BB-FHP	3.5 " x3.0 " x2.5mm
SS403020-4BB-FHP	4.0 " x3.0 " x2.0mm
SS403025-4BB-FHP	4.0 " x3.0 " x2.5mm
SS403030-4BB-FHP	4.0 " x3.0 " x3.0mm
SS503020-4BB-FHP	5.0 " x3.0 " x2.0mm
SS503025-4BB-FHP	5.0 " x3.0 " x2.5mm
SS503030-4BB-FHP	5.0 " x3.0 " x3.0mm
SS503520-4BB-FHP	5.0 " x3.5 " x2.0mm
SS503525-4BB-FHP	5.0 " x3.5 " x2.5mm
SS503530-4BB-FHP	5.0 " x3.5 " x3.0mm
SS504030-4BB-FHP	5.0 " x4.0 " x3.0mm
SS504035-4BB-FHP	5.0 " x4.0 " x3.5mm



MATERIAL: Stainless Steel
BEARINGS: 4 pcs (nylon ring)




MODEL NO.	DIMENSION(HxWxT)
SS303020-4NW	3.0 " x3.0 " x2.0mm
SS353025-4NW	3.5 " x3.0 " x2.5mm
SS403020-4NW	4.0 " x3.0 " x2.0mm
SS403025-4NW	4.0 " x3.0 " x2.5mm
SS403030-4NW	4.0 " x3.0 " x3.0mm
SS503020-4NW	5.0 " x3.0 " x2.0mm
SS503025-4NW	5.0 " x3.0 " x2.5mm
SS503030-4NW	5.0 " x3.0 " x3.0mm



MATERIAL: Stainless Steel
BEARINGS: 2 pcs




MODEL NO.	DIMENSION(HxWxT)
SS303020-2BB-BHP	3.0 " x3.0 " x2.0mm
SS303025-2BB-BHP	3.0 " x3.0 " x2.5mm
SS353525-2BB-BHP	3.5 " x3.5 " x2.5mm
SS353530-2BB-BHP	3.5 " x3.5 " x3.0mm
SS404020-2BB-BHP	4.0 " x4.0 " x2.0mm
SS404025-2BB-BHP	4.0 " x4.0 " x2.5mm
SS404030-2BB-BHP	4.0 " x4.0 " x3.0mm
SS454030-2BB-BHP	4.5 " x4.0 " x3.0mm
SS454034-2BB-BHP	4.5 " x4.0 " x3.4mm
SS503025-2BB-BHP	5.0 " x3.0 " x2.5mm
SS503030-2BB-BHP	5.0 " x3.0 " x3.0mm
SS503530-2BB-BHP	5.0 " x3.5 " x3.0mm
SS504030-2BB-BHP	5.0 " x4.0 " x3.0mm
SS504034-2BB-BHP	5.0 " x4.0 " x3.4mm



MATERIAL: Stainless Steel
BEARINGS: 4 pcs (SS ring)




MODEL NO.	DIMENSION(HxWxT)
SS403020-4SW-FH	4.0 " x3.0 " x2.0mm
SS403025-4SW-FH	4.0 " x3.0 " x2.5mm
SS403030-4SW-FH	4.0 " x3.0 " x3.0mm
SS404020-4SW-FH	4.0 " x4.0 " x2.0mm
SS404025-4SW-FH	4.0 " x4.0 " x2.5mm
SS404030-4SW-FH	4.0 " x4.0 " x3.0mm
SS503020-4SW-FH	5.0 " x3.0 " x2.0mm
SS503025-4SW-FH	5.0 " x3.0 " x2.5mm
SS503030-4SW-FH	5.0 " x3.0 " x3.0mm



MATERIAL: Stainless Steel
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
SS256030-FH	2.5 " x6.0 " x3.0mm
SS406030-FH	4.0 " x6.0 " x3.0mm
SS407030-FH	4.0 " x7.0 " x3.0mm
SS408030-FH	4.0 " x8.0 " x3.0mm
SS408035-FH	4.0 " x8.0 " x3.5mm



MATERIAL: Stainless Steel
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
SS302020	3.0 " x2.0 " x2.0mm
SS403520	4.0 " x3.5 " x2.0mm
SS403525	4.0 " x3.5 " x2.5mm



MATERIAL: Stainless Steel
BEARINGS: 4 pcs




MODEL NO.	DIMENSION(HxWxT)
SS403025-4BB-RC-FHP-A	4.0 " x3.0 " x2.5mm
SS403030-4BB-RC-FHP-A	4.0 " x3.0 " x3.0mm
SS404025-4BB-RC-FHP-A	4.0 " x4.0 " x2.5mm
SS404030-4BB-RC-FHP-A	4.0 " x4.0 " x3.0mm
SS404035-4BB-RC-FHP-A	4.0 " x4.0 " x3.5mm
SS454530-4BB-RC-FHP-A	4.5 " x4.5 " x3.0mm
SS454535-4BB-RC-FHP-A	4.5 " x4.5 " x3.5mm
SS504030-4BB-RC-FHP-A	5.0 " x4.0 " x3.0mm
SS504035-4BB-RC-FHP-A	5.0 " x4.0 " x3.5mm
SS505030-4BB-RC-FHP-A	5.0 " x5.0 " x3.0mm
SS505048-4BB-RC-FHP-A	5.0 " x5.0 " x4.8mm
SS604030-4BB-RC-FHP-A	6.0 " x4.0 " x3.0mm
SS604040-4BB-RC-FHP-A	6.0 " x4.0 " x4.0mm



MATERIAL: Stainless Steel
BEARINGS: 4 pcs





MODEL NO.	DIMENSION(HxWxT)
SS303020-4DW	3.0 " x3.0 " x2.0mm
SS303025-4DW	3.0 " x3.0 " x2.5mm
SS353525-4DW	3.5 " x3.5 " x2.5mm
SS353530-4DW	3.5 " x3.5 " x3.0mm
SS403020-4DW	4.0 " x3.0 " x2.0mm
SS403025-4DW	4.0 " x3.0 " x2.5mm
SS403030-4DW	4.0 " x3.0 " x3.0mm
SS404025-4DW	4.0 " x4.0 " x2.5mm
SS404030-4DW	4.0 " x4.0 " x3.0mm



MATERIAL: Stainless Steel
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
SS402820-PN-A	100x72x2.0mm
SS402825-PN-A	100x72x2.5mm
SS403030-PN-A	4.0 " x3.0 " x3.0mm
SS403020-PN-A	4.0 " x3.0 " x2.0mm
SS403025-PN-A	4.0 " x3.0 " x2.5mm
SS503025-PN-A	5.0 " x3.0 " x2.5mm
SS503030-PN-A	5.0 " x3.0 " x3.0mm
SS503020-PN-A	5.0 " x3.0 " x2.0mm



MATERIAL: Stainless Steel
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
SS403525-3K	4.0 " x3.5 " x2.5mm
SS403530-3K	4.0 " x3.5 " x3.0mm



MATERIAL: Stainless Steel
BEARINGS: 1 pcs




MODEL NO.	DIMENSION(HxWxT)
SS-FC-01	127x65x2.5mm
SS-FC-02	76x76x2.5mm
SS-FC-03	76x76x3.0mm
SS-FC-04	102x96x3.0mm
SS-FC-05	127x100x3.0 mm



MATERIAL: Stainless Steel
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
SS-FG-01	76x65x2.5mm
SS-FG-02	76x76x2.5mm
SS-FG-03	76x76x3.0mm
SS-FG-04	102x96x3.0mm
SS-FG-05	127x100x3.0mm
SS-FG-06	102x102x2.5mm



MATERIAL: Stainless Steel
BEARINGS: 1 pcs




MODEL NO.	DIMENSION(HxWxT)
SS-RH-01	110x57x2.5mm
SS-RH-02	140x70x3.0mm



MATERIAL: Stainless Steel
BEARINGS: 1 pcs




MODEL NO.	DIMENSION(HxWxT)
SS-HH-01	110x57x2.5mm
SS-HH-02	140x70x3.0mm



MATERIAL: Stainless Steel
BEARINGS: 1 pcs



MODEL NO.	DIMENSION(HxWxT)
SS403020-L1	4.0 " x3.0 " x2.0mm
SS403025-L1	4.0 " x3.0 " x2.5mm
SS403030-L1	4.0 " x3.0 " x3.0mm
SS403525-L1	4.0 " x3.5 " x2.5mm
SS403530-L1	4.0 " x3.5 " x3.0mm



MATERIAL: Stainless Steel
BEARINGS: 1 pcs



MODEL NO.	DIMENSION(HxWxT)
SS403020-L2	4.0 " x3.0 " x2.0mm
SS403025-L2	4.0 " x3.0 " x2.5mm
SS403525-L2	4.0 " x3.5 " x2.5mm
SS403530-L2	4.0 " x3.5 " x3.0mm
SS553430-L2	140mmx85mmx3.0mm



ST353020
3.5 " x3.0 " x2.5mm
MATERIAL: Stainless Steel





ST302520
3.0 " x 2.5 " x2.0mm
MATERIAL: Stainless Steel




SS302520
3.0 " x 2.5 " x2.0mm
MATERIAL: Stainless Steel








MATERIAL: Stainless Steel
BEARINGS: 0 pcs



MATERIAL: Stainless Steel
BEARINGS: 0 pcs



MATERIAL: Stainless Steel
BEARINGS: 2 pcs



MATERIAL: Stainless Steel
BEARINGS: 0 pcs





MODEL NO.	DIMENSION(HxWxT)
SS-RH-F01	25x24x1.0mm
SS-RH-F02	38x30x1.2mm
SS-RH-F03	50x38x1.0mm
SS-RH-F04	65x40x1.2mm
SS-RH-F05	75x48x1.2mm
SS-RH-F06	50x50x1.2mm
SS-RH-F07	63x63x1.2mm
SS-RH-F08	100x70x2.0mm

MODEL NO.	DIMENSION(HxWxT)
PJCH301815	3.0 " x 1.6 " x 2.0mm
PJCH302515	3.0 " x 2.5 " x 1.5mm
PJCH302520	3.0 " x 2.5 " x 2.0mm
PJCH403020	4.0 " x 3.0 " x 2.0mm
PJCH403025	4.0 " x 3.0 " x 2.5mm

MODEL NO.	DIMENSION(HxWxT)
SS-FH-B01	63x25x1.5mm
SS-FH-B02	75x19x1.5mm
SS-FH-B03	98x82x2.0mm
SS-FH-B04	100x66x2.0mm
SS-FH-B05	102x75x2.5mm


MODEL NO.	DIMENSION(HxWxT)
SS-SAS-01	50x32x21.5mm
SS-SAS-02	63x37x21.5mm
SS-SAS-03	76x44x21.5mm
SS-SAS-04	89x54x1.5mm
SS-SAS-05	102x65x2.0mm
SS-SAS-06	100x66x2.0mm
SS-SAS-07	102x75x2.5mm
SS-SAS-08	102x72x2.5mm
SS-SAS-09	102x87x2.5mm
SS-SAS-10	105x89x2.5mm



SAS-03SS

SCOPE: For 6mm to 12mm thickness glass
MATERIAL: Stainless Steel


MODEL NO.	SIZE(mm)							
	A	B	C	D	E	F	G	H
SAS03-3"	75	48	22	25	18	12	5.5	79
SAS03-4"	100	48	22	25	18	12	5.5	79
SAS03-5"	125	56	26	28	23	14	6.8	90
SAS03-6"	150	56	26	28	23	14	6.8	90



DAS-04SS

SCOPE: For 6mm to 12mm thickness glass
MATERIAL: Stainless Steel

MODEL NO.	SIZE(mm)							
	A	B	C	D	E	F	G	H
DAS03-3"	75	38	19	24	18	23	4.8	70
DAS03-4"	100	48	19	26	18	23	5.5	70
DAS03-5"	125	45	25	29	23	26	6.8	86
DAS03-6"	150	45	25	29	23	26	6.8	86
DAS03-8"	200	46	26	29	23	27	6	87
DAS03-8B"	200	60	32	37	28	32	6	103



DAS-05SS

SCOPE: For 6mm to 12mm thickness glass
MATERIAL: Stainless Steel

MODEL NO.	SIZE(mm)							
	A	B	C	D	E	F	G	H
DAS001-L8B"	200	60	32	42	42	46	5.8	140

Full Mortise Template Single Acting

For automatic closing of door. Meets codes for hotels, motels, institutions and commercial buildings
ideal for high moisture areas.

1150

Stainless Steel with all stainless steel components

ANSI K51071F


Maximum Door Size

For labeled doors 3' x7' the maximum door size is based on the liyortssei torth by NFPA Standard #80. Labeled Doors require Ball Bearing hinges.

NOTES:

1. For maximum versatility use all spring hinges or a combination of spring hinges and ball bearing hinges. Do not use plain bearing hinges.
2. Full spring tension may not be required on All hinges.

INSTALLATION INSTRUCTIONS



- 1) Install spring hinge in normal manner with the adjustment end up.
- 2) Place door in closed position.
- 3) Insert Hex wrench in adjusting location. (Figure #1)
- 4) Rotate Hex wrench clockwise and insert locking pin loosely in adjusting hole. (Figure #2)
- 5) Release Hex wrench until locking pin contacts side of adjusting hole.
- 6) Remove Hex wrench and check the door closing force.
- 7) If closing force is not satisfactory, Repeat steps 2 thru 6.

SIZE	RECOMMENDED MAX DOOR WEIGHT (LBS.)	BEARING HINGE	SPRING HINGE LOCATION
4.5X4	70	2	1 Center
&	115	1	2 Center/Bottom
4.5X4	150	-	3 ALL

CAUTION #1: Door should be in a closed position.
CAUTION #2: Do not adjust tension past two (2) holes when a 180 degree opening is required. Do not adjust tension past three (3) when a 90 degree opening is required.
CAUTION #3: Always rotate the Hex Wrench in a clockwise direction, regardless of right or left hand application.
CAUTION #4: Use proper safety protection while installing the Fighter Spring Hinge.

Series	SIZE	RECOMMENDED MAX DOOR WEIGHT (LBS.)	Spring Hinge	Butt Hinge
	4.5X4	70	1	2
1150	&	115	2	1
	4.5X4	150	3	-
	4x3x3			
	4x4x2.5			
	4x4x3			

Size Open(Inches)	4.5x4	4.5x4.5
Gauge of Metal	134	134
Numbers of Holes	8	8
Screw Size		
Machine Screw	1/2x12-24	1/2x12-24
Wood Screw	11/4x12	11/4x12
Hinge In Case(Each)	48	48
Average Weight Per Case (Lbs.)	50	55

Standard screw packaging on sizes 4 1/2x4 1/2 and 4 1/2x4 is all machine and all wood.

NOTE:

All steps must be followed to insure that the Fighter Spring Hinge will function as designed.

DOOR INSTALLATION:

1. Install spring hinge to door and frame at either top and bottom or center and bottom hinge locations. Then, install ball bearing in conjunction with 1150 Series, Check for proper door clearance. There should be at least 1/4 clearance at the bottom of the door for vacuum relief.
2. Open the door by hand to 90° angle, and push it closed, If the door latches, the hinges are ready to receive tension. If there is any resistance and the door does not latch, this indicates that the door is either out of balance or misalligned. This condition will have to be corrected before tension can be applied to the spring hinges.
3. Door weight should not exceed the recommended requirements, This includes all hardware and veneer.


Furnished with screw hole to conform to standards approved by (ANSI) A156.7--1988.

Hinge testing conform to ANSI-A156.1-1988 and ANSI A156.17-1987.

EVERYTHING HINGES ON FIGHTER





MATERIAL: Brass
BEARINGS: 2 pcs




MATERIAL: Brass
BEARINGS: 0 pcs



MATERIAL: Brass
BEARINGS: 4 pcs



MATERIAL: Brass
BEARINGS: 2 pcs




MODEL NO.	DIMENSION(HxWxT)
SB303020-2BB-FHP-BL	3.0" x3.0" x2.0mm
SB303028-2BB-FHP-BL	3.0" x3.0" x2.8mm
SB353520-2BB-FHP-BL	3.5" x3.5" x2.0mm
SB353525-2BB-FHP-BL	3.5" x3.5" x2.5mm
SB353527-2BB-FHP-BL	3.5" x3.5" x2.7mm
SB403020-2BB-FHP-BL	4.0" x3.0" x2.0mm
SB402525-2BB-FHP-BL	4.0" x2.5" x2.5mm
SB403525-2BB-FHP-BL	4.0" x3.5" x2.5mm

MODEL NO.	DIMENSION(HxWxT)
SB352020-PJ-T	3.5" x2.0" x2.0mm
SB303020-PJ-T	3.0" x3.0" x2.0mm
SB353520-PJ-T	3.5" x3.5" x2.0mm
SB403020-PJ-T	4.0" x3.0" x2.0mm
SB404020-PJ-T	4.0" x4.0" x2.0mm
SB353525-PJ-T	3.5" x3.5" x2.5mm
SB403025-PJ-T	4.0" x3.0" x2.5mm
SB503025-PJ-T	5.0" x3.0" x2.5mm
SB403030-PJ-T	4.0" x3.0" x3.0mm
SB404030-PJ-T	4.0" x3.0" x3.0mm
SB454030-PJ-T	4.5" x4.5" x3.0mm
SB454530-PJ-T	4.5" x4.5" x3.0mm
SB503030-PJ-T	5.0" x3.0" x3.0mm
SB503530-PJ-T	5.0" x3.5" x3.0mm
SB504030-PJ-T	5.0" x4.0" x3.0mm

MODEL NO.	DIMENSION(HxWxT)
SB352020-4BB-FHP	3.5" x2.0" x2.0mm
SB303020-4BB-FHP	3.0" x3.0" x2.0mm
SB353520-4BB-FHP	3.5" x3.5" x2.0mm
SB403020-4BB-FHP	4.0" x3.0" x2.0mm
SB404020-4BB-FHP	4.0" x4.0" x2.0mm
SB353525-4BB-FHP	3.5" x3.5" x2.5mm
SB404025-4BB-FHP	4.0" x4.0" x2.5mm
SB503025-4BB-FHP	5.0" x3.0" x2.5mm
SB353530-4BB-FHP	3.5" x3.5" x3.0mm
SB403030-4BB-FHP	4.0" x3.0" x3.0mm
SB404030-4BB-FHP	4.0" x4.0" x3.0mm
SB454030-4BB-FHP	4.5" x4.0" x3.0mm
SB454530-4BB-FHP	4.5" x4.5" x3.0mm
SB503030-4BB-FHP	5.0" x3.0" x3.0mm
SB503530-4BB-FHP	5.0" x3.5" x3.0mm
SB504030-4BB-FHP	5.0" x4.0" x3.0mm


MODEL NO.	DIMENSION(HxWxT)
SB352020-2BB-NRP-SECP	3.5" x2.0" x2.0mm
SB303020-2BB-NRP-SECP	3.0" x3.0" x2.0mm
SB353520-2BB-NRP-SECP	3.5" x3.5" x2.0mm
SB403020-2BB-NRP-SECP	4.0" x3.0" x2.0mm
SB404020-2BB-NRP-SECP	4.0" x4.0" x2.0mm
SB353525-2BB-NRP-SECP	3.5" x3.5" x2.5mm
SB404025-2BB-NRP-SECP	4.0" x4.0" x2.5mm
SB503025-2BB-NRP-SECP	5.0" x3.0" x2.5mm
SB353530-2BB-NRP-SECP	3.5" x3.5" x3.0mm
SB403030-2BB-NRP-SECP	4.0" x3.0" x3.0mm
SB404030-2BB-NRP-SECP	4.0" x4.0" x3.0mm
SB454030-2BB-NRP-SECP	4.5" x4.0" x3.0mm
SB454530-2BB-NRP-SECP	4.5" x4.5" x3.0mm
SB503030-2BB-NRP-SECP	5.0" x3.0" x3.0mm
SB503530-2BB-NRP-SECP	5.0" x3.5" x3.0mm
SB504030-2BB-NRP-SECP	5.0" x4.0" x3.0mm




MATERIAL: Brass
BEARINGS: 3 pcs





MODEL NO.	DIMENSION(HxWxT)
SB352020-2BB-FHP-RC	3.5 " x2.0 " x2.0mm
SB303020-2BB-FHP-RC	3.0 " x3.0 " x2.0mm
SB353520-2BB-FHP-RC	3.5 " x3.5 " x2.0mm
SB403020-2BB-FHP-RC	4.0 " x3.0 " x2.0mm
SB404020-2BB-FHP-RC	4.0 " x4.0 " x2.0mm
SB353525-2BB-FHP-RC	3.5 " x3.5 " x2.5mm
SB404025-2BB-FHP-RC	4.0 " x4.0 " x2.5mm
SB503025-2BB-FHP-RC	5.0 " x3.0 " x2.5mm
SB503525-2BB-FHP-RC	5.0 " x3.5 " x2.5mm
SB353530-2BB-FHP-RC	3.5 " x3.5 " x3.0mm
SB404030-2BB-FHP-RC	4.0 " x3.0 " x3.0mm
SB454030-2BB-FHP-RC	4.0 " x4.0 " x3.0mm
SB454530-2BB-FHP-RC	4.5 " x4.5 " x3.0mm
SB503030-2BB-FHP-RC	5.0 " x3.0 " x3.0mm
SB503530-2BB-FHP-RC	5.0 " x3.5 " x3.0mm
SB504030-2BB-FHP-RC	5.0 " x4.0 " x3.0mm




MATERIAL: Brass
BEARINGS: 2 pcs





MODEL NO.	DIMENSION(HxWxT)
SB352020-2BB-NRP	3.5 " x2.0 " x2.0mm
SB303020-2BB-NRP	3.0 " x3.0 " x2.0mm
SB353520-2BB-NRP	3.5 " x3.5 " x2.0mm
SB403020-2BB-NRP	4.0 " x3.0 " x2.0mm
SB404020-2BB-NRP	4.0 " x4.0 " x2.0mm
SB353525-2BB-NRP	3.5 " x3.5 " x2.5mm
SB404025-2BB-NRP	4.0 " x4.0 " x2.5mm
SB503025-2BB-NRP	5.0 " x3.0 " x2.5mm
SB353530-2BB-NRP	3.5 " x3.5 " x3.0mm
SB403030-2BB-NRP	4.0 " x3.0 " x3.0mm
SB404030-2BB-NRP	4.0 " x4.0 " x3.0mm
SB454030-2BB-NRP	4.5 " x4.0 " x3.0mm
SB454530-2BB-NRP	4.5 " x4.5 " x3.0mm
SB503030-2BB-NRP	5.0 " x3.0 " x3.0mm
SB503530-2BB-NRP	5.0 " x3.5 " x3.0mm
SB504030-2BB-NRP	5.0 " x4.0 " x3.0mm




MATERIAL: Brass
BEARINGS: 2 pcs




MODEL NO.	DIMENSION(HxWxT)
SB403028-2BB-PHP	4.0 " x3.0 " x2.8mm
SB403030-2BB-PHP	4.0 " x3.0 " x3.0mm
SB404025-2BB-PHP	4.0 " x4.0 " x2.5mm
SB404028-2BB-PHP	4.0 " x4.0 " x2.8mm
SB404034-2BB-PHP	4.0 " x4.0 " x3.4mm
SB404030-2BB-PHP	4.0 " x4.0 " x3.0mm
SB454030-2BB-PHP	4.5 " x4.0 " x3.0mm
SB454530-2BB-PHP	4.5 " x4.5 " x3.0mm




MATERIAL: Brass
BEARINGS: 2 pcs





MODEL NO.	DIMENSION(HxWxT)
SB502525-2BB-SHP	5.0 " x2.5 " x2.5mm
SB503020-2BB-SHP	5.0 " x3.0 " x2.0mm
SB503025-2BB-SHP	5.0 " x3.0 " x2.5mm
SB503028-2BB-SHP	5.0 " x3.0 " x3.0mm
SB503030-2BB-SHP	5.0 " x3.0 " x3.0mm
SB503034-2BB-SHP	5.0 " x3.0 " x3.4mm
SB503530-2BB-SHP	5.0 " x3.5 " x3.0mm
SB504030-2BB-SHP	5.0 " x4.0 " x3.0mm




MATERIAL: Brass
BEARINGS: 2 pcs




MODEL NO.	DIMENSION(HxWxT)
SB303020-2BB-FHP	3.0 " x3.0 " x2.0mm
SB303025-2BB-FHP	3.0 " x3.0 " x2.5mm
SB353525-2BB-FHP	3.5 " x3.5 " x2.5mm
SB353530-2BB-FHP	3.5 " x3.5 " x3.0mm
SB403030-2BB-FHP	4.0 " x3.0 " x3.0mm
SB404025-2BB-FHP	4.0 " x4.0 " x2.5mm
SB404030-2BB-FHP	4.0 " x4.0 " x3.0mm
SB454530-2BB-FHP	4.5 " x4.5 " x3.0mm
SB504535-2BB-FHP	5.0 " x4.5 " x3.5mm




MATERIAL: Brass
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
SB-P01	3 " x4 " x4.0mm
SB-P02	3 " x5 " x4.0mm
SB-P03	4 " x4 " x4.0mm
SB-P04	4 " x5 " x4.0mm
SB-P05	4 " x6 " x4.0mm
SB-P06	4 " x7 " x4.0mm
SB-P07	4 " x8 " x4.0mm
SB-P08	4 " x6 " x4.5mm
SB-P09	4.5" x4 " x4.0mm




MATERIAL: Brass
BEARINGS: 1 pcs




MODEL NO.	DIMENSION(HxWxT)
SB785420-FTH	78x54x2.0mm
SB785425-FTH	78x54x2.5mm
SB785430-FTH	78x54x3.0mm
SB955520-FTH	95x55x2.0mm
SB955525-FTH	95x55x2.5mm
SB955530-FTH	95x55x3.0mm
SB1095925-FTH	109x59x2.5mm
SB1095930-FTH	109x59x3.0mm
SB1208020-FTH	120x80x2.0mm
SB1208025-FTH	120x80x2.5mm



MATERIAL: Brass
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
SB-PD-01A	25x24x1.0mm
SB-PD-02A	38x30x1.0mm
SB-PD-03A	50x37x1.2mm
SB-PD-04A	64x36x1.2mm
SB-PD-05A	75x54x1.5mm
SB-PD-06A	89x50x1.8mm
SB-PD-07A	100x70x1.8mm



SB5035401BK/SB

125x89x4mm


MATERIAL: Brass



SB4035403EG

115x85x4mm


MATERIAL: Brass



SB4535402EG

115x85x4mm


MATERIAL: Brass



SB50350401AB/SB

125x89x4mm


MATERIAL: Brass



SB403040AB/SB

100x75x4mm









MATERIAL: Brass



SB-L2-01/SB-L2-02

100x65x3.0mm

MATERIAL: Brass


MATERIAL: Brass
BEARINGS: 4 pcsMATERIAL: Brass
BEARINGS: 2 pcsMATERIAL: Brass
BEARINGS: 2 pcsMATERIAL: Brass
BEARINGS: 4 pcs

MODEL NO.	DIMENSION(HxWxT)
SB352020-4BB-CHP	3.5" x 2.0" x 2.0mm
SB303020-4BB-CHP	3.0" x 3.0" x 2.0mm
SB353520-4BB-CHP	3.5" x 3.5" x 2.0mm
SB403020-4BB-CHP	4.0" x 3.0" x 2.0mm
SB404020-4BB-CHP	4.0" x 4.0" x 2.0mm
SB353525-4BB-CHP	3.5" x 3.5" x 2.5mm
SB404025-4BB-CHP	4.0" x 4.0" x 2.5mm
SB503025-4BB-CHP	5.0" x 3.0" x 2.5mm
SB353530-4BB-CHP	3.5" x 3.5" x 3.0mm
SB403030-4BB-CHP	4.0" x 3.0" x 3.0mm
SB404030-4BB-CHP	4.0" x 4.0" x 3.0mm
SB454030-4BB-CHP	4.5" x 4.0" x 3.0mm
SB454530-4BB-CHP	4.5" x 4.5" x 3.0mm
SB503030-4BB-CHP	5.0" x 3.0" x 3.0mm
SB503530-4BB-CHP	5.0" x 3.5" x 3.0mm
SB504030-4BB-CHP	5.0" x 4.0" x 3.0mm

MODEL NO.	DIMENSION(HxWxT)
SB352020-2BB-CHP	3.5" x 2.0" x 2.0mm
SB303020-2BB-CHP	3.0" x 3.0" x 2.0mm
SB353520-2BB-CHP	3.5" x 3.5" x 2.0mm
SB403020-2BB-CHP	4.0" x 3.0" x 2.0mm
SB404020-2BB-CHP	4.0" x 4.0" x 2.0mm
SB353525-2BB-CHP	3.5" x 3.5" x 2.5mm
SB404025-2BB-CHP	4.0" x 4.0" x 2.5mm
SB503025-2BB-CHP	5.0" x 3.0" x 2.5mm
SB353530-2BB-CHP	3.5" x 3.5" x 3.0mm
SB403030-2BB-CHP	4.0" x 3.0" x 3.0mm
SB404030-2BB-CHP	4.0" x 4.0" x 3.0mm
SB454030-2BB-CHP	4.5" x 4.0" x 3.0mm
SB454530-2BB-CHP	4.5" x 4.5" x 3.0mm
SB503030-2BB-CHP	5.0" x 3.0" x 3.0mm
SB503530-2BB-CHP	5.0" x 3.5" x 3.0mm
SB504030-2BB-CHP	5.0" x 4.0" x 3.0mm

MODEL NO.	DIMENSION(HxWxT)
SB352020-2BL-SHP	3.5" x 2.0" x 2.0mm
SB303020-2BL-SHP	3.0" x 3.0" x 2.0mm
SB353520-2BL-SHP	3.5" x 3.5" x 2.0mm
SB403020-2BL-SHP	4.0" x 3.0" x 2.0mm
SB404020-2BL-SHP	4.0" x 4.0" x 2.0mm
SB353525-2BL-SHP	3.5" x 3.5" x 2.5mm
SB404025-2BL-SHP	4.0" x 4.0" x 2.5mm
SB503025-2BL-SHP	5.0" x 3.0" x 2.5mm
SB353530-2BL-SHP	3.5" x 3.5" x 3.0mm
SB403030-2BL-SHP	4.0" x 3.0" x 3.0mm
SB404030-2BL-SHP	4.0" x 4.0" x 3.0mm
SB454030-2BL-SHP	4.5" x 4.0" x 3.0mm
SB454530-2BL-SHP	4.5" x 4.5" x 3.0mm
SB503030-2BL-SHP	5.0" x 3.0" x 3.0mm
SB503530-2BL-SHP	5.0" x 3.5" x 3.0mm
SB504030-2BL-SHP	5.0" x 4.0" x 3.0mm


MODEL NO.	DIMENSION(HxWxT)
SB352020-2BB-BHP	3.5" x 2.0" x 2.0mm
SB303020-2BB-BHP	3.0" x 3.0" x 2.0mm
SB353520-2BB-BHP	3.5" x 3.5" x 2.0mm
SB403020-2BB-BHP	4.0" x 3.0" x 2.0mm
SB404020-2BB-BHP	4.0" x 4.0" x 2.0mm
SB353525-2BB-BHP	3.5" x 3.5" x 2.5mm
SB404025-2BB-BHP	4.0" x 4.0" x 2.5mm
SB503025-2BB-BHP	5.0" x 3.0" x 2.5mm
SB353530-2BB-BHP	3.5" x 3.5" x 3.0mm
SB403030-2BB-BHP	4.0" x 3.0" x 3.0mm
SB404030-2BB-BHP	4.0" x 4.0" x 3.0mm
SB454030-2BB-BHP	4.5" x 4.0" x 3.0mm
SB454530-2BB-BHP	4.5" x 4.5" x 3.0mm
SB503030-2BB-BHP	5.0" x 3.0" x 3.0mm
SB504030-2BB-BHP	5.0" x 4.0" x 3.0mm
SB505030-2BB-BHP	5.0" x 5.0" x 3.0mm



MATERIAL: Brass
BEARINGS: 2 pcs




MODEL NO.	DIMENSION(HxWxT)
SB-FH-BB01	102x76x2.5mm
SB-FH-BB02	102x75x2.5mm
SB-FH-BB03	102x72x2.5mm




MATERIAL: Brass
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
SB402832-2BW	4"x2 3/8"x2.0mm
SB4028525-2BW	4"x2 3/8"x2.5mm
SB402853-2BW	4"x2 3/8"x3.0mm
SB4028535-2BW	4"x2 3/8"x3.5mm
SB402854-2BW	4"x2 3/8"x4.0mm
SB403030-2BW	4"x3"x3.0mm




MATERIAL: Brass
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
SB402832	4"x2 3/8"x2.0mm
SB4028525	4"x2 3/8"x2.5mm
SB402853	4"x2 3/8"x3.0mm
SB4028535	4"x2 3/8"x3.5mm
SB402854	4"x2 3/8"x4.0mm
SB403030	4"x3"x3.0mm




MATERIAL: Brass
BEARINGS: 4 pcs




MODEL NO.	DIMENSION(HxWxT)
SB302025-4BW -01	3 " x 2 " x 2.5mm
SB302030-4BW -02	3 " x 2 " x 3.0mm
SB302020-4BW -03	3 " x 2 " x 2.0mm
SB4028520-4BW -04	4 " x 2 3/8" x 2.0mm
SB4028525-4BW -05	4 " x 2 3/8" x 2.5mm
SB4028530-4BW -06	4 " x 2 3/8" x 3.0mm
SB4028535-4BW -07	4 " x 2 3/8" x 3.5mm
SB4028540-4BW -08	4 " x 2 3/8" x 4.0mm
SB403030-4BW -09	4 " x 3 " x 3.0mm




MATERIAL: Brass
BEARINGS: 1 pcs





MODEL NO.	DIMENSION(HxWxT)
SB-H01	80x50x2.3mm
SB-H02	95x55x2.5mm
SB-H03	100x57x3.0mm
SB-H04	100x50x3.0mm
SB-H05	100x60x3.0mm
SB-H06	100x65x3.0mm
SB-H07	120x60x2.8mm
SB-H08	120x65x3.4mm




MATERIAL: Brass
BEARINGS: 1 pcs





MODEL NO.	DIMENSION(HxWxT)
SB-HB805023-PHP	80x50x2.3mm
SB-HB1005727-PHP	100x57x2.7mm
SB-HB1005037-PHP	100x50x3.7mm
SB-HB1006030-PHP	100x60x3.0mm
SB-HB1006530-PHP	100x65x3.0mm
SB-HB1206028-PHP	120x60x2.8mm



MATERIAL: Brass
BEARINGS: 2 pcs




MODEL NO.	DIMENSION(HxWxT)
SB-CR-01	89X75X3.0mm
SB-CR-02	100X68X3.0mm
SB-CR-03	100X75X3.0mm
SB-CR-04	127X75X3.0mm




MATERIAL: Brass
BEARINGS: 0 pcs





MODEL NO.	DIMENSION(HxWxT)
SB-CH-01	70x30x2.5mm
SB-CH-02	64x38x2.0mm
SB-CH-03	102x38x2.0mm
SB-CH-04	70x30x2.0mm




MATERIAL: Brass
BEARINGS: 2 pcs




MATERIAL: Brass
BEARINGS: 0 pcs



MATERIAL: Brass
BEARINGS: 0 pcs



MATERIAL: Brass
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
SB503030-2BB-FHP	5.0x3.0x3.0mm
SB503535-2BB-FHP	5.0x3.5x3.5mm
SB504035-2BB-FHP	5.0x4.0x3.5mm
SB604030-2BB-FHP	6.0x4.0x3.0mm
SB604035-2BB-FHP	6.0x4.0x3.5mm



MODEL NO.	DIMENSION(HxWxT)
SB-FH2BB-01	102x72x2.5mm
SB-FH2BB-02	102x75x2.5mm
SB-FH2BB-03	102x76x3.0mm

MODEL NO.	DIMENSION(HxWxT)
SB-H353525-SHP	3.5x3.5x2.5mm
SB-H403030-SHP	4.0x3.0x3.0mm
SB-H403530-SHP	4.0x3.5x3.0mm
SB-H453530-SHP	4.5x3.5x3.0mm



MODEL NO.	DIMENSION(HxWxT)
SB-H-353525-PHP	3.5x3.5x2.5mm
SB-H-403030-PHP	4.0x3.0x3.0mm
SB-H-403530-PHP	4.0x3.5x3.0mm
SB-H-453530-PHP	4.5x3.5x3.0mm





MATERIAL: Steel
BEARINGS: 2 pcs




MATERIAL: Steel
BEARINGS: 2 pcs



MATERIAL: Steel
BEARINGS: 4 pcs



MATERIAL: Steel
BEARINGS: 2 pcs




MODEL NO.	DIMENSION(HxWxT)
ST302520-2BB-CHP	3.0 " x2.5 " x2.0mm
ST403020-2BB-CHP	4.0 " x3.0 " x2.0mm
ST403025-2BB-CHP	4.0 " x3.0 " x2.5mm
ST403030-2BB-CHP	4.0 " x3.0 " x3.0mm
ST503020-2BB-CHP	5.0 " x3.0 " x2.0mm
ST503025-2BB-CHP	5.0 " x3.0 " x2.5mm
ST503030-2BB-CHP	5.0 " x3.0 " x3.0mm
ST503530-2BB-CHP	5.0 " x3.5 " x3.0mm
ST504030-2BB-CHP	5.0 " x4.0 " x3.0mm


MODEL NO.	DIMENSION(HxWxT)
ST302520-2BB-PHP	3.0 " x2.5 " x2.0mm
ST403020-2BB-PHP	4.0 " x3.0 " x2.0mm
ST403025-2BB-PHP	4.0 " x3.0 " x2.5mm
ST403030-2BB-PHP	4.0 " x3.0 " x3.0mm
ST503020-2BB-PHP	5.0 " x3.0 " x2.0mm
ST503025-2BB-PHP	5.0 " x3.0 " x2.5mm
ST503030-2BB-PHP	5.0 " x3.0 " x3.0mm
ST503530-2BB-PHP	5.0 " x3.5 " x3.0mm
ST504030-2BB-PHP	5.0 " x4.0 " x3.0mm

MODEL NO.	DIMENSION(HxWxT)
ST303025-4BB-BHP	3.0 " x3.0 " x2.5mm
ST303030-4BB-BHP	3.0 " x3.0 " x3.0mm
ST353525-4BB-BHP	3.5 " x3.5 " x2.5mm
ST353530-4BB-BHP	3.5 " x3.5 " x3.0mm
ST404025-4BB-BHP	4.0 " x4.0 " x2.5mm
ST404030-4BB-BHP	4.0 " x4.0 " x3.0mm
ST454530-4BB-BHP	4.5 " x4.5 " x3.0mm
ST303020-4BB-BHP	3.0 " x3.0 " x2.0mm


MODEL NO.	DIMENSION(HxWxT)
ST302520-2BB-FHP	3.0 " x2.5 " x2.0mm
ST403020-2BB-FHP	4.0 " x3.0 " x2.0mm
ST403025-2BB-FHP	4.0 " x3.0 " x2.5mm
ST403030-2BB-FHP	4.0 " x3.0 " x3.0mm
ST503020-2BB-FHP	5.0 " x3.0 " x2.0mm
ST503025-2BB-FHP	5.0 " x3.0 " x2.5mm
ST503030-2BB-FHP	5.0 " x3.0 " x3.0mm
ST503530-2BB-FHP	5.0 " x3.5 " x3.0mm
ST504030-2BB-FHP	5.0 " x4.0 " x3.0mm




MATERIAL: Steel
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
ST303020	3.0 " x3.0 " x2.0mm
ST303022	3.0 " x3.0 " x2.2mm
ST303025	3.0 " x3.0 " x2.5mm
ST353520	3.5 " x3.5 " x2.0mm
ST353522	3.5 " x3.5 " x2.2mm
ST353525	3.5 " x3.5 " x2.5mm
ST404022	4.0 " x4.0 " x2.2mm
ST404025	4.0 " x4.0 " x2.5mm
ST404030	4.0 " x4.0 " x3.0mm
ST404035	4.0 " x4.0 " x3.5mm
ST454525	4.5 " x4.5 " x2.5mm
ST454530	4.5 " x4.5 " x3.0mm
ST504030	5.0 " x4.0 " x3.0mm
ST504035	5.0 " x4.0 " x3.5mm




MATERIAL: Steel
BEARINGS: 0 pcs




MODEL NO.	DIMENSION(HxWxT)
ST303020-RC	3.0 " x3.0 " x2.0mm
ST303022-RC	3.0 " x3.0 " x2.2mm
ST303025-RC	3.0 " x3.0 " x2.5mm
ST353520-RC	3.5 " x3.5 " x2.0mm
ST353522-RC	3.5 " x3.5 " x2.2mm
ST353525-RC	3.5 " x3.5 " x2.5mm
ST404022-RC	4.0 " x4.0 " x2.2mm
ST404025-RC	4.0 " x4.0 " x2.5mm
ST404030-RC	4.0 " x4.0 " x3.0mm
ST404035-RC	4.0 " x4.0 " x3.5mm
ST454534-RC	4.5 " x4.5 " x3.4mm
ST454530-RC	4.5 " x4.5 " x3.0mm
ST504030-RC	5.0 " x4.0 " x3.0mm
ST504035-RC	5.0 " x4.0 " x3.5mm




MATERIAL: Steel
BEARINGS: 0 pcs








MODEL NO.	DIMENSION(HxWxT)
ST303020-NRP-LP	3.0 " x3.0 " x2.0mm
ST303022-NRP-LP	3.0 " x3.0 " x2.2mm
ST303025-NRP-LP	3.0 " x3.0 " x2.5mm
ST353520-NRP-LP	3.5 " x3.5 " x2.0mm
ST353522-NRP-LP	3.5 " x3.5 " x2.2mm
ST353530-NRP-LP	3.5 " x3.5 " x3.0mm
ST403025-NRP-LP	4.0 " x3.0 " x2.5mm
ST403030-NRP-LP	4.0 " x3.0 " x3.0mm
ST404022-NRP-LP	4.0 " x4.0 " x2.2mm
ST404025-NRP-LP	4.0 " x4.0 " x2.5mm
ST404030-NRP-LP	4.0 " x4.0 " x3.0mm
ST404035-NRP-LP	4.0 " x4.0 " x3.5mm
ST454525-NRP-LP	4.5 " x4.5 " x2.5mm
ST454530-NRP-LP	4.5 " x4.5 " x3.0mm
ST504030-NRP-LP	5.0 " x4.0 " x3.0mm
ST504035-NRP-LP	5.0 " x4.0 " x3.5mm




MATERIAL: Steel
BEARINGS: 2 pcs



MODEL NO.	DIMENSION(HxWxT)
ST303020-2BB-BHP	3.0 " x3.0 " x2.0mm
ST303022-2BB-BHP	3.0 " x3.0 " x2.2mm
ST303025-2BB-BHP	3.0 " x3.0 " x2.5mm
ST353520-2BB-BHP	3.5 " x3.5 " x2.0mm
ST353522-2BB-BHP	3.5 " x3.5 " x2.2mm
ST353525-2BB-BHP	3.5 " x3.5 " x2.5mm
ST403025-2BB-BHP	4.0 " x3.0 " x2.5mm
ST403030-2BB-BHP	4.0 " x3.0 " x3.0mm
ST404022-2BB-BHP	4.0 " x4.0 " x2.2mm
ST404025-2BB-BHP	4.0 " x4.0 " x2.5mm
ST404030-2BB-BHP	4.0 " x4.0 " x3.0mm
ST404035-2BB-BHP	4.0 " x4.0 " x3.5mm
ST454525-2BB-BHP	4.5 " x4.5 " x2.5mm
ST454530-2BB-BHP	4.5 " x4.5 " x3.0mm
ST504030-2BB-BHP	5.0 " x4.0 " x3.0mm
ST504035-2BB-BHP	5.0 " x4.0 " x3.5mm




MATERIAL: Steel
BEARINGS: 0 pcs



MODEL NO.	DIMENSION(HxWxT)
ST-FP-F01	2.0" x2.0" x1.5mm
ST-FP-F02	2.5" x2.5" x1.8mm
ST-FP-F03	3.0" x3.0" x1.8mm
ST-FP-F04	3.0" x3.0" x2.0mm
ST-FP-F05	3.5" x3.5" x2.0mm
ST-FP-F06	3.5" x3.5" x2.2mm
ST-FP-F07	4.0" x4.0" x2.2mm

MATERIAL: Steel
BEARINGS: 2 pcs



MODEL NO.	DIMENSION(HxWxT)
ST404022-2BB-SHP	4.0 " x4.0 " x2.2mm
ST404025-2BB-SHP	4.0 " x4.0 " x2.5mm
ST404030-2BB-SHP	4.0 " x4.0 " x3.0mm
ST404033-2BB-SHP	4.0 " x4.0 " x3.3mm

MATERIAL: Steel
BEARINGS: 4 pcs



MODEL NO.	DIMENSION(HxWxT)
ST403025AC	4.0 " x3.0 " x2.5mm


MATERIAL: Steel
BEARINGS: 4 pcs



MODEL NO.	DIMENSION(HxWxT)
ST1007020	100x70x2mm

MATERIAL: Steel
BEARINGS: 0 pcs
FINISHES: Silver Paint, Bark Paint

MODEL NO.	DIMENSION(HxWxT)
ST1007020SL	100x70x2mm

**ST01**

25x24x1.0mm

MATERIAL: Steel**ST02**

38x30x1.2mm

MATERIAL: Steel**ST03**

50x37x1.2mm

MATERIAL: Steel**ST04**

65x38x1.5mm

MATERIAL: Steel**ST05**

75x48x1.5mm

MATERIAL: Steel**ST06**

89x54x1.8mm

MATERIAL: Steel**ST07**

100x70x1.8mm

MATERIAL: Steel**ST-FH-01**

64x36x1.4mm

MATERIAL: Steel**ST-FH-02**

50x37x1.25mm

MATERIAL: Steel**ST-FH-05**

89x54x1.5mm

MATERIAL: Steel**ST-FH-04**

75x48x1.8mm

MATERIAL: Steel**ST-HA01**

3"

MATERIAL: Steel**ST-HA02**

2"

MATERIAL: Steel**ST-T01**

6"

MATERIAL: Steel**ST-T02**

2"

MATERIAL: Steel**ST-H01**

80x40x2.0mm

MATERIAL: Steel**ST-H02**


80x45x2.0mm

MATERIAL: Steel**SB-H01**


110x55x25mm

MATERIAL: Steel**SB-H02**

95x45x2.0mm

MATERIAL: Steel**H2501-PB**

57x32x35mm

MATERIAL: Steel**H2502-PB**

57x32x35mm

MATERIAL: Steel**H2503-AB**

57x38x36mm

MATERIAL: Steel**H2505-PB/WH**

70x50x41.3x1.6mm

MATERIAL: Steel**H2504-PB**

70x50x41.3x1.6mm





MATERIAL: Steel**H2504-AB**

70x50x41.3x1.6mm

MATERIAL: Steel**H2504-AC**

70x50x41.3x1.6mm



MATERIAL: Steel

■ Spring Hinges
彈簧鉸**ST-SH-A01**Single Door Spring Hinge
MATERIAL: Steel**ST-Das-01**Size: 3" 4" 5" 6"
Single Action Spring
MATERIAL: Steel**ST-Das-02**Size: 3" 4" 5" 6"
Double Action Spring
MATERIAL: Steel■ Concealed Hinges
暗藏槽鉸



Dimension	Model No.						
	ZA-2003	ZA-2004	ZA-2005	ZA-2006	ZA-2007	ZA-2008	ZA-2009
A	12.70mm	12.70mm	15.8mm	19.5mm	25.40mm	28.58mm	34.93mm
B	8mm	8mm	11.51mm	13.49mm	18.26mm	22.23mm	26.99mm
C	44.45mm	60.33mm	69.85mm	95.25mm	117.48mm	117.48mm	139.70mm
D	17mm	31.75mm	34.13mm	61mm	65.88mm	61.91mm	74.61mm
E	31mm	48mm	52mm	73mm	92mm	92mm	112mm
F	17.2mm	17.2mm	23.02mm	27.38mm	36.51mm	40.48mm	49.21mm
G	5mm	5.5mm	7.14mm	9.53mm	11.91mm	10.32mm	11.91mm




MODEL NO.	DIMENSION(HxWxT)
SS-CO-01	27X1000X1.5mm
SS-CO-02	32X1800X1.0mm
SS-CO-03	38X1800X1.0mm
SS-CO-04	40X2000X1.5mm
SS-CO-05	50X1000X1.5mm

**MATERIAL:** Stainless Steel


MODEL NO.	DIMENSION(HxWxT)
SB-CO-01	27X1000X1.5mm
SB-CO-02	32X1800X1.0mm
SB-CO-03	38X1800X1.0mm
SB-CO-04	40X2000X1.5mm
SB-CO-05	50X1000X1.5mm

**MATERIAL:** Brass


MODEL NO.	DIMENSION(HxWxT)
ST-CH-01	27 X 1830X1.0mm
ST-CH-02	32 X 1830X1.0mm
ST-CH-03	38 X 1830X1.2mm
ST-CH-04	50 X 1830X1.2mm


**MATERIAL:** Steel

MODEL NO.	DIMENSION(HxWxT)
SS-01	153X15.5X1.0mm
SB-02	153X15.5X1.0mm
ST-03	153X15.5X1.0mm

**MATERIAL:** Stainless Steel/Steel/Brass

MODEL NO.	DIMENSION(HxWxT)
ST-TL603025	6.0 " X 3.0 " X 2.5mm


**MATERIAL:** Steel

**H2022 ZINC**

"L" Hinge
80x45x1.5 120x68x1.5 120x87x2
MATERIAL: Steel

**H2024 ZINC**

"L" Hinge
120x68x2 120x87x2
MATERIAL: Steel

**H2023 ZINC**


"L" Hinge
120x65x1.5 120x68x1.5
MATERIAL: Steel

**H2020 BL**


"H" Hinge
63x25x1
MATERIAL: Steel

**H2021 BL**

"H" Hinge
63x25x1
MATERIAL: Steel

**H2029-6" ZINC**

"T" Hinge
MATERIAL: Steel

**H2029-4" ZINC**


"T" Hinge
MATERIAL: Steel

**H2029-6" BL**

"T" Hinge
SIZE: 2" 3" 4" 5" 6" 8" 10" 12"x1.4mm
MATERIAL: Steel

**H2029-4" BL**

"T" Hinge
SIZE: 4" 5" 6" 8" x2.2mm
MATERIAL: Steel

**P230-Pull**

Handle
SIZE: 4" 5" 6"
MATERIAL: Steel

**H2030-4½" ZINC**

Hasp & Staple
SIZE: 1¾" 2½" 3" 4" 5" 6" 8"
MATERIAL: Steel

**H2031-6" AC**

Door Bolt With Hasp & Staple
MATERIAL: Zinc Alloy

**H2027-4" ZINC**

Hasp & Staple
SIZE: 2" 3" 4" 5"
MATERIAL: Steel

**H2028-4" BL**

Hasp & Staple
SIZE: 1¾" 2" 2.5" 3" 3.5" 4" 5" 6"
MATERIAL: Steel

**H2025-4" Blue Zinc**

Hasp & Staple
SIZE: 2" 2.5" 3" 4" 5"
MATERIAL: Steel

**H2026-4" ZINC**

Hasp & Staple
MATERIAL: Steel

**SB454535-2BB-FHP-AB**


4.5"x4.5"x3.5mm
MATERIAL: Brass

**SS303025-SH-SP**

3.0"x3.0"x2.5mm
MATERIAL: Stainless Steel

**SB503030-4BB-FTH**

5.0"x3.0"x3.0mm
MATERIAL: Brass

**Pearl Nickel Plated**

4.0"x3.0"x2.5mm
MATERIAL: Steel

**Bright Chrome Plated**

4.0"x3.0"x2.2mm
MATERIAL: Steel

**Gold Plated**

4.0"x4.0"x2.5mm
MATERIAL: Brass

**ST403030-4BB-BHP**

4.0"x4.0"x2.5mm
MATERIAL: Steel

**SB454530-2BB-NRP-RC-FHP**

4.5"x4.5"x3.0mm
MATERIAL: Brass

**SB454530-2BB-NRP-RC-FHP**

4.5"x4.5"x3.0mm
MATERIAL: Brass

**SB454530-4BB-NRP-RC-FHP**

4.5"x4.5"x3.0mm
MATERIAL: Brass

**SB404035-4BB-NRP-RC-FHP**

4.0"x4.0"x3.5mm
MATERIAL: Brass

**SB404035-2BB-NRP-RC-FHP**

4.0"x4.0"x3.5mm
MATERIAL: Brass

**SB404030-2BB-FHP**

4.0"x4.0"x3.0mm
MATERIAL: Brass

**Pearl Gold Plating**

SB-4W 4.0"x3.0"x2.5mm
MATERIAL: Brass

**PG/CR**

SB-4W 4.0"x3.0"x3.0mm
MATERIAL: Brass

**PG/PB**

SB-4W 4.0"x3.0"x3.0mm
MATERIAL: Brass

**SB403025-2BB-CHP-WA/PB**

4.0"x3.0"x2.5mm
MATERIAL: Steel

**SB404030-2BB-SECP-AH**


4.0"x4.0"x3.0mm
MATERIAL: Steel

**Satin Brass**

5.0"x4.0"x3.0mm
MATERIAL: Brass

**SB404030-2BB-FHP-AC**

4.0"x4.0"x3.0mm
MATERIAL: Brass

**Pearl Chrome**

5.0"x4.0"x2.5mm
MATERIAL: Steel

**Black Lacquer**

3.0"x3.0"x2.2mm
MATERIAL: Aluminum

**ST404022**











4.0"x4.0"x2.2mm
MATERIAL: Steel

**ST606050**


6.0"x6.0"x5.0mm
MATERIAL: Steel

**ST605050**


6.0"x5.0"x5.0mm
MATERIAL: Steel

DRAWING	TYPE OF PIN	CODE
	Fixed Pin	TP
	Fixed Pin	TPP
	Loose Pin(2 in 1)	LPP
	Loose Pin(Single)	LPF
	Loose Pin(Single)	LPH
	Loose Pin(Single)	LPB
	Loose Pin(2 in 1)	LPS
	Loose Pin(2 in 1)	LP41
	Loose Pin(2 in 1)	LP2
	Loose Pin(2 in 1)	LP36

DRAWING										
										
CODE	FHR	FHS	FHP	FHP	FHH	BHP	BHP	CHP	PHP	SHP




H2015
MATERIAL: Zinc Alloy




H2017
MATERIAL: Zinc Alloy




H2016
MATERIAL: Zinc Alloy



H2018
MATERIAL: Stainless Steel



H2041
MATERIAL: 304 Stainless Steel




H2040
MATERIAL: 304 Stainless Steel




H2032
MATERIAL: Zinc Alloy




HC2803
MATERIAL: Stainless Steel




**H2013**


MATERIAL: 304 Stainless Steel

**H2030**


MATERIAL: 304 Stainless Steel

**H2031**


MATERIAL: 304 Stainless Steel

**H2033**


MATERIAL: 304 Stainless Steel

**H2034**


MATERIAL: 304 Stainless Steel

**H2035**


MATERIAL: 304 Stainless Steel

**H2036**


MATERIAL: 304 Stainless Steel

**H2037**


MATERIAL: 304 Stainless Steel

**H2038**


MATERIAL: 304 Stainless Steel

**H2039**


MATERIAL: 304 Stainless Steel

**H2040**


MATERIAL: 304 Stainless Steel

**H2029**


MATERIAL: 304 Stainless Steel

**H2042**


MATERIAL: 304 Stainless Steel

**H2043**


MATERIAL: 304 Stainless Steel

**H2044**


MATERIAL: 304 Stainless Steel

**H2045**


MATERIAL: 304 Stainless Steel

**H2046**


MATERIAL: 304 Stainless Steel

**H2047**













MATERIAL: 304 Stainless Steel



















**H2048**



MATERIAL: 304 Stainless Steel

**H2049**


MATERIAL: 304 Stainless Steel

■ Door Chain
門鏈**A2827****MATERIAL:** Steel**A2828****MATERIAL:** Steel**DS02 PB****MATERIAL:** Steel**DS03 AC****MATERIAL:** Steel**DS09 SS****MATERIAL:** Zinc Alloy**Hc2084****MATERIAL:**Stainless Steel**Hc2085****MATERIAL:** Stainless Steel**DS04 PB****MATERIAL:** Zinc Alloy**DS05 PB****MATERIAL:** Zinc Alloy**DS05 SS****MATERIAL:** Zinc Alloy**ZN0274 PB****MATERIAL:** Zinc Alloy**A2007****MATERIAL:** Zinc Alloy**A2008****MATERIAL:** Zinc Alloy**A2010 304SS****MATERIAL:** Zinc Alloy**A2009 304SS****MATERIAL:** Zinc Alloy**MP23037-04**Security guard with chain sliding track
MATERIAL: Zinc Alloy**MP23037-04AB**Security guard with chain sliding track
MATERIAL: 304 Stainless Steel**A2829 304SS****MATERIAL:** 304 Stainless Steel**MP23038-04**Concealed security hasp
MATERIAL: Zinc Alloy



**B2201PVD-19****SIZE:** 6" 8" 12" 18" 24" 36" 40"**MATERIAL:** Stainless Steel**B2203-25****SIZE:** 6" 8" 10" 12"**MATERIAL:** Stainless Steel**B2207-19****SIZE:** 6" 8" 10" 12" 16" 18" 20" 22" 24"**MATERIAL:** Stainless Steel**B2207-22****SIZE:** 6" 8" 10" 12" 16" 18" 20" 22" 24"**MATERIAL:** Stainless Steel**B2209****SIZE:** 6" 12" 18" 24" 36" 40"**MATERIAL:** Brass**B2210-22****SIZE:** 8" 12" 14" 18" 24" 36" 40"**MATERIAL:** Stainless Steel**T2212****SIZE:** 6" 8" 10" 12"**MATERIAL:** Brass**T2213****SIZE:** 4" 6" 12"**MATERIAL:** Brass**B2231****SIZE:** 4" 10"**MATERIAL:** Stainless Steel**B2230****SIZE:** 6" 8" 10" 12"**MATERIAL:** Stainless Steel

**T2214**

SIZE: 3" 4" 5" 6" 8" 10" 12"
MATERIAL: Brass

**T2215**


SIZE: 4" 6" 8" 10" 12"
MATERIAL: Brass

**T2216**


SIZE: 4" 6" 8" 10" 12"
MATERIAL: Brass

**T2217**




SIZE: 6" 8" 10" 12"
MATERIAL: Brass

**T2218**



SIZE: 2" 3" 4" 5" 6" 8" 10" 12"
MATERIAL: Brass

**T2219**



SIZE: 2" 3" 4" 5" 6" 8" 10" 12"
MATERIAL: Brass

**T2220**



SIZE: 2.5" 3" 4" 5" 6" 8" 10" 12"
MATERIAL: Brass

**T2220-A**

SIZE: 4" 6" 8" 10" 12"
MATERIAL: Brass




**T2222**

SIZE: 2.5" 3" 4" 5" 6" 8" 10"
MATERIAL: Brass











**B-SS2002**



SIZE: 3" 4"
MATERIAL: Stainless Steel



**B-SS2005****SIZE:** 4" 6" 8" 10" 12"**MATERIAL:** Stainless Steel**T2235****SIZE:** 2½" 3½" 4"**MATERIAL:** Steel**Steel Barrel Bolt**

ITEM NO.	SIZE(mm)			
	A	B	C	D
T2235A	36	21	51	37
T2235B	42	28.5	75	56
T2235C	54	38	100	17
T2235D	65	45	126	86


**B-SS2004****SIZE:** 2½" 3½" 4"**MATERIAL:** Stainless Steel**T2224****SIZE:** 1¼" 1¾"**MATERIAL:** Steel**SS2003****SIZE:** 3"**MATERIAL:** 304 Stainless Steel**B-SS2004****SIZE:** 6"**MATERIAL:** 304 Stainless Steel**H2035-A****MATERIAL:** Stainless Steel**H2035-B****MATERIAL:** Stainless Steel**H2035-C****MATERIAL:** Stainless Steel**H2035-D****MATERIAL:** Stainless Steel**MP23057-02****Deadbolt with key****MATERIAL:** Stainless Steel**H2019****MATERIAL:** Stainless Steel**T2223PB****MATERIAL:** Zinc Alloy**T2223SS****MATERIAL:** Zinc Alloy



MP23094-02
Door bolt cleaner
MATERIAL: Stainless Steel



MP23095
Door bolt cleaner
MATERIAL: Stainless Steel




MP23094-03
Door bolt cleaner
MATERIAL: Stainless Steel




MP23094-04
Door bolt cleaner
MATERIAL: Stainless Steel



MP23092PB
MATERIAL: Brass




MP23092-SS
MATERIAL: Brass




■ DOOR VIEWER
猫眼




MP23093-05-PB
Door viewer with grass
MATERIAL: Brass




MP23093-05-SS
Door viewer with grass
MATERIAL: Brass




MP23093-04-SS
Door viewer with grass
SIZE: Φ16
MATERIAL: Brass




MP23039-04-AC
Door viewer with grass
SIZE: Φ16
MATERIAL: Brass




MP23039-04-PB
Door viewer with grass
SIZE: Φ16
MATERIAL: Brass




MP23093-041-AB
Door viewer with grass
SIZE: Φ16
MATERIAL: Brass




MP23093-041-AB
Door viewer with grass
SIZE: Φ16
MATERIAL: Brass





MP23093-041-AC
Door viewer with grass
SIZE: Φ16
MATERIAL: Brass




MP23093-031-AC
Door viewer with grass
SIZE: Φ14
MATERIAL: Brass




MP23093-031-PB
Door viewer with grass
SIZE: Φ14
MATERIAL: Brass




MP23093-031-SS
Door viewer with grass
SIZE: Φ14
MATERIAL: Brass



MP23039-02-AC
Door viewer with grass
SIZE: Φ12
MATERIAL: Brass




MP23039-02-AB
Door viewer with grass
SIZE: Φ12
MATERIAL: Brass



The transparent part of the viewer can be made of PLASTIC or GLASS
镜片可选用玻璃镜片或塑料镜片

MP23160


50 x30 x1.5mm
76 x40 x2mm
100 x62 x2mm
130 x76 x2mm
MATERIAL: Stainless Steel

**MP23161**


76 x40 x1.5mm
100 x62 x2mm
130 x76 x2mm
MATERIAL: Stainless Steel

**MP23162 SS**

76 x40 x1.5mm
100 x62 x2mm
130 x76 x2mm
MATERIAL: Stainless Steel

**MP23163 SS**

76 x40 x1.5mm
100 x62 x2mm
130 x76 x2mm
MATERIAL: Stainless Steel

**MP23089-07**

100x300x1.5mm
90x200x1.5mm
MATERIAL: Stainless Steel

**MP23089-02-07**

100x300x1.5mm
90x200x1.5mm
MATERIAL: Stainless Steel

**MP23089-10**

100x300x1.5mm :19
90x200x1.5mm
MATERIAL: Stainless Steel

**MP23089-02-10**

100x300x1.5mm :19
90x200x1.5mm
MATERIAL: Stainless Steel

**MP23090A SS**

150x150x1.5mm
MATERIAL: Stainless Steel

**MP23091B SS**

150x150x1.5mm
MATERIAL: Stainless Steel

**MO23092C SS**

150x200x1.5mm
MATERIAL: Stainless Steel

**MP23093D SS**

150x150x1.5mm
MATERIAL: Stainless Steel

**MP23094 SS**

Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23095 SS**

Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23096 SS**

Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23097 SS**

Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23098 SS**

Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23099 SS**

170x130x1.5mm
MATERIAL: Stainless Steel

**MP23081-02**

Man sign board
Ø98x1.5mm Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23082-02**

Woman sign board
Ø98x1.5mm Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23083-02**

Man&Woman sign board
Ø98x1.5mm Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23084-02**

Handicapped sign board
Ø98x1.5mm Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23085-02**

No smoking sign board
Ø98x1.5mm Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23086-02**

Telephone sign board
Ø98x1.5mm Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23087-01**

Push sign board
Ø98x1.5mm Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23087-02**

Push sign board
Ø98x1.5mm Ø76x1.5mm
MATERIAL: Stainless Steel

**MP23088-02**

Pull sign board
100x100x1.5mm
MATERIAL: Stainless Steel

**FH01023**


Ø76x1.5mm
MATERIAL: Stainless Steel



- * 2503 Door stop is designed for 300,000 times of continuous open/close operation without damage.
- * Optional ivory or dark brown, to match with the common color of door.
- * 2503 is applicable to be installed on various interior doors.
- * It is applicable to be installed left-hand door or right-hand door without regulation.
- * Easy for self-installation.
- * Small and simple design.
- * Shutting speed adjustable.
- * Suitable for door with weight 25 to 45 kgs.

2503


MATERIAL: Aluminium alloy



- * It is applicable to single door with a width up to 1000mm and a weight up to 45kg -60kg.
- * It can be installed on the frame or on the panel.
- * Optional colors up to the requirement of client (gold, silver, bronze, white, etc.).
- * With brake function (90° positioning)

2504



MATERIAL: Aluminium alloy



- * It is applicable to single CC door with a width up to 1200mm and a weight up to 60kg-80kg.
- * It can be installed on the frame or on the panel.
- * Optional colors up to the requirement of client (gold, silver, bronze, white, etc.).
- * With brake function (90° positioning).

2505


MATERIAL: Aluminium alloy



- * Applicable to single door with a width up to 1,200mm and a weight up to 60kgs-80kgs.
- * Can be installed on the frame or on the panel.
- * Optional colors up to the requirement of client (Gold Lacquer, Silver Lacquer, White Lacquer, Bronze, etc.).
- * With brake function.
- * High-strength aluminum alloy casting component undergoes over 500,000 times of open/close tests.

2505B


MATERIAL: Aluminium alloy



- * It is applicable to single CC door with a width up to 1200mm and a weight up to 80kg-120kg.
- * It can be installed on the frame or on the panel.
- * Optional colors up to the requirement of client (gold, silver, bronze, white, etc.).
- * With brake function (90° positioning).

2508

MATERIAL: Aluminium alloy



- * Applicable to single door with a width up to 1,000mm and a weight up to 45kgs -60kgs.
- * Can be installed on the frame or on the panel.
- * Optional colors up to the requirement of client (Gold Lacquer, Silver Lacquer, White Lacquer, Bronze, etc.).
- * With brake function.
- * High-strength aluminum alloy casting component undergoes over 500,000 times of open/close tests.

2504B.GL

MATERIAL: Aluminium alloy



FIGHTER

TOP SECURITY PRODUCT www.fighterlock.com

IT IS HUMAN BEING'S
LONG-TERM PURSUIT TO HAVE
THE ARTISTIC ENVIRONMENT.

擁有一個具有時尚藝術感的家園是我們一直的追求。

GLASS HARDWARE

玻璃五金



Glass Door Lock
玻璃門鎖



Glass Door Clip
玻璃門夾













Glass Connector
玻璃鏈接件




Glass Door Handle
玻璃門拉手





Floor Spring Hing
地彈簧







MP2934-Y-02
MATERIAL: Stainless Steel
The socket form of the glass is use select the thickness of glass for using 8/12mm Faceplate




MP2934-T-02
MATERIAL: Stainless Steel
The socket form of the glass is used select the thickness of glass for using 8/12mm Faceplate




MP2936-S-04
MATERIAL: Stainless Steel
he socket form of the glass is used select the thickness of glass for using 8/12mm Faceplate




MP2936-D-04
MATERIAL: Stainless Steel
The socket form of the glass is used select the thickness of glass for using 8/12mm Faceplate




MP2010-01
Bottom glass door clip
MATERIAL: Stainless Steel
SS SP




MP2020-01
Glass door clip
MATERIAL: Stainless Steel
SS SP




MP2030-01
Glass door clip
MATERIAL: Stainless Steel
SS SP




MP2040-01
Angel Glass door clip
MATERIAL: Stainless Steel
SS SP



MP2050-01
Glass door clip with lock
MATERIAL: Stainless Steel
SS SP





T-2701



DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP

PVD



T-2702



DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP

PVD



T-2707



DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP

PVD



T-2708



DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP

PVD



T-2703



DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP

PVD



T-2704



DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP

PVD



T-2709



DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP

PVD



T-2710



DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP

PVD



T-2705



DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP

PVD



T-2706



DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP

PVD



T-2711



DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP

PVD



T-2712


DOOR THICKNESS: 6mm to 12mm

MATERIAL: Stainless Steel

SS

SP



PVD








T-2712-2

For 6mm to 12mm thickness glass
MATERIAL: Stainless Steel






T-2713-2

For 6mm to 12mm thickness glass
MATERIAL: Stainless Steel





T-2714-2

For 6mm to 12mm thickness glass
MATERIAL: Stainless Steel





T-2715-2

For 6mm to 12mm thickness glass
MATERIAL: Stainless Steel





T-2716-2

For 6mm to 12mm thickness glass
MATERIAL: Stainless Steel






T-2722-2

For 6mm to 12mm thickness glass
MATERIAL: Brass





T-2723-2

For 6mm to 12mm thickness glass
MATERIAL: Brass





T-2724-2

For 6mm to 12mm thickness glass
MATERIAL: Brass





T-2725-2

For 6mm to 12mm thickness glass
MATERIAL: Brass





T-2726-2

For 6mm to 12mm thickness glass
MATERIAL: Brass





T2721

For 6mm to 12mm thickness glass
MATERIAL: Brass



T2722


For 6mm to 12mm thickness glass
MATERIAL: Brass






T2723

For 6mm to 12mm thickness glass
MATERIAL: Brass





T2724

For 6mm to 12mm thickness glass
MATERIAL: Brass





T2725

For 6mm to 12mm thickness glass
MATERIAL: Brass




T2726

For 6mm to 12mm thickness glass
MATERIAL: Brass




T-2731

For 6mm to 12mm thickness glass
MATERIAL: Brass





T-2732

For 6mm to 12mm thickness glass
MATERIAL: Brass




T-2733

For 6mm to 12mm thickness glass
MATERIAL: Brass





T-2734

For 6mm to 12mm thickness glass
MATERIAL: Brass




T-2735

For 6mm to 12mm thickness glass
MATERIAL: Brass



T-2736


For 6mm to 12mm thickness glass
MATERIAL: Brass







T-2600

DOOR THICKNESS: 6mm to 10mm
DOOR WELGHT: 45 Kgs maximum
MATERIAL: Brass





T-2601

DOOR THICKNESS: 6mm to 10mm
DOOR WELGHT: 45 Kgs maximum
MATERIAL: Brass




T-2602

DOOR THICKNESS: 6mm to 10mm
DOOR WELGHT: 45 Kgs maximum
MATERIAL: Brass




T-2743

For 8mm to 12mm thickness glass
MATERIAL: Stainless Steel or Brass




T-2744

For 8mm to 12mm thickness glass
MATERIAL: Stainless Steel or Brass




T-2724-2

For 8mm to 12mm thickness glass
MATERIAL: Stainless Steel or Brass





T-2725-2

For 8mm to 12mm thickness glass
MATERIAL: Stainless Steel or Brass



T-2726-2


For 8mm to 12mm thickness glass
MATERIAL: Stainless Steel or Brass






S2900-03

MATERIAL: Stainless Steel




S2997-01

MATERIAL: Stainless Steel




S2998-02

MATERIAL: Stainless Steel



S2970-02


MATERIAL: Stainless Steel



MP23043-04

Stainless steel glass holder


MATERIAL: Stainless Steel



MP23044-03

Brass glass holder


MATERIAL: Stainless Steel



MP23045-03

Brass both sides glass clip


MATERIAL: Stainless Steel



MP23046-03

Brass one side glass clip

MATERIAL: Stainless Steel



S2565-03

MATERIAL: Stainless Steel



S2815-03

MATERIAL: Stainless Steel



S2990-02

MATERIAL: Stainless Steel



S2993-01

MATERIAL: Stainless Steel



S2820-03

MATERIAL: Stainless Steel



S2810-03

MATERIAL: Stainless Steel



S2830-03

MATERIAL: Stainless Steel



S2840-03

MATERIAL: Stainless Steel



S2574-01
MATERIAL: Stainless Steel



S2575-01
MATERIAL: Stainless Steel



S2576-01
MATERIAL: Stainless Steel



S2992-01
MATERIAL: Stainless Steel



S2568-03
Magnetic glass catcher
MATERIAL: Stainless Steel






S2577-03
Magnetic glass catcher
MATERIAL: Stainless Steel





S2578-03
Magnetic glass catcher
MATERIAL: Stainless Steel






S2579-03
Magnetic glass catcher
MATERIAL: Stainless Steel






T-2603
DOOR THICKNESS: 6mm to 10mm
DOOR WELGHT: 45 Kgs maximum
MATERIAL: Brass






T-2604
DOOR THICKNESS: 6mm to 10mm
DOOR WELGHT: 45 Kgs maximum
MATERIAL: Brass





T-2605
DOOR THICKNESS: 6mm to 10mm
DOOR WELGHT: 45 Kgs maximum
MATERIAL: Brass




T-2606
DOOR THICKNESS: 6mm to 10mm
DOOR WELGHT: 45 Kgs maximum
MATERIAL: Brass



T-2607
DOOR THICKNESS: 6mm to 10mm
DOOR WELGHT: 45 Kgs maximum
MATERIAL: Brass



S2980-02
MATERIAL: Stainless Steel
DOOR WELGHT: 45 Kgs maximum
MATERIAL: Brass







Wall to glass

T-2510


DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
MATERIAL: Stainless Steel

Double action spring
return door from 25°
in each direction

Wall to glass

T-2511



DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
MATERIAL: Stainless Steel

Double action spring
return door from 25°
in each direction

Glass to glass 180°

T-2512



DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
MATERIAL: Stainless Steel

Double action spring
return door from 25°
in each direction

Wall to glass

T-2520




DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
MATERIAL: Stainless Steel

Double action spring
return door from 25°
in each direction

Wall to glass

T-2521




DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
MATERIAL: Stainless Steel

Double action spring
return door from 25°
in each directionDouble action spring
return door from 25°
in each direction



Glass to glass 180°

T-2522

DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
MATERIAL: Stainless Steel

Double action spring
return door from 25°
in each direction**T-2530**



DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 40 kgs maximum
MATERIAL: Stainless Steel

Double action spring
return door from 25°
in each direction

Glass cut-out top and bottom

**T-2531**



DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 40kgs maximum
MATERIAL: Stainless Steel

Double action spring
return door from 25°
in each direction

Glass cut-out top and bottom

**T-2532**



DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 40 kgs maximum
MATERIAL: Stainless Steel

Double action spring
return door from 25°
in each direction






Glass cut-out top and bottom

**T-2532A**

DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 40 kgs maximum
MATERIAL: Stainless Steel

Double action spring
return door from 25°
in each direction



Glass cut-out top and bottom




Glass cut-out top and bottom

T-2611

DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
MATERIAL: Brass




Glass cut-out top and bottom




Glass cut-out top and bottom

T-2613

DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
CLASS TO CLASS 180°
MATERIAL: Brass





Double action spring return door from 25° in each direction




Glass cut-out top and bottom

T-2614

DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
CLASS TO CLASS 180°
MATERIAL: Stainless Steel




Double action spring return door from 25° in each direction








Glass cut-out top and bottom

T-2615


DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
CLASS TO CLASS 180°
MATERIAL: Stainless Steel



Double action spring return door from 25° in each direction







Glass cut-out top and bottom




T-2630

DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
WALL TO GLASS
MATERIAL: Brass





Glass cut-out top and bottom




T-2631

DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
WALL TO GLASS
MATERIAL: Brass






Glass cut-out top and bottom




T-2632

DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
GLASS TO GLASS 180°
MATERIAL: Brass






Glass cut-out top and bottom





T-2633

DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
GLASS TO GLASS 135°
MATERIAL: Brass




Glass cut-out top and bottom



T-2640


DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
WALL TO GLASS
MATERIAL: Brass



Glass cut-out top and bottom


S2560-03

DOOR THICKNESS: For 6mm to 10mm
DOOR WEIGHT: 45 kgs maximum
MATERIAL: Brass







H22004-03
Solid brass bathroom knighthead
MATERIAL: Stainless Steel or Brass




H22005-03
Solid brass bathroom knighthead
MATERIAL: Stainless Steel or Brass





H22006-03
Solid brass bathroom knighthead
MATERIAL: Stainless Steel or Brass



H22007-03
Solid brass bathroom knighthead
MATERIAL: Stainless Steel or Brass



H22008-03
Solid brass bathroom knighthead
MATERIAL: Stainless Steel or Brass



T-2765

MATERIAL: Stainless Steel or Brass




ITEM NO.	SIZE(mm)			
	A	B	C	D
L-2765A	400	Φ32	62	Φ19
L-2765B	500	Φ32	62	Φ19
L-2765C	600	Φ32	62	Φ19
L-2765D	400	Φ32	72	Φ25
L-2765E	500	Φ32	72	Φ25
L-2765F	600	Φ32	72	Φ25



T-2766

MATERIAL: Stainless Steel or Brass




ITEM NO.	SIZE(mm)			
	A	B	C	D
T-2766A	152	176	62	Φ19
T-2766B	305	329	62	Φ19
T-2766C	400	424	62	Φ19
T-2766D	305	335	72	Φ25




T-2748

For 8mm to 12mm thickness glass
MATERIAL: Stainless Steel or Brass
SIZE: T-2748A L=240-400(mm)
T-2748B L=550-750(mm)



T-2749

For 8mm to 12mm thickness glass
MATERIAL: Stainless Steel or Brass
SIZE: T-2749A L=300(mm)
T-2749B L=600(mm)







S2310-02
Bathroom glass door handle
MATERIAL: Stainless Steel or Brass
SIZE: Φ19x200x400mm
Φ19x250x500mm
Φ25x250x500mm
Φ25x305x600mm




S2320-01
Bathroom glass door handle
MATERIAL: Stainless Steel or Brass
SIZE: Φ19x450mm
Φ19x600mm
Φ25x450mm
Φ25x600mm
Φ25x900mm




S2330-01
Bathroom glass door handle
MATERIAL: Stainless Steel or Brass




S2340-01
Bathroom glass door handle
MATERIAL: Stainless Steel or Brass



R2320-2-01
Curving armrest
MATERIAL: Stainless Steel or Brass





R2320-3-01
Curving armrest with soap dish
MATERIAL: Stainless Steel or Brass



R2320-I-01
Straight armrest
MATERIAL: Stainless Steel or Brass
SIZE: Φ19x400mm Φ19x500mm
Φ19x600mm Φ20x400mm
Φ20x450mm Φ20x500mm
Φ20x550mm Φ25x400mm
Φ25x500mm Φ25x600mm

ITEM NO.	SIZE(mm)			
	A	B	C	D
T-2764A	400	Φ27	62	Φ19
T-2764B	500	Φ27	62	Φ19
T-2764C	600	Φ27	62	Φ19
T-2764D	400	Φ30	72	Φ25
T-2764E	500	Φ30	72	Φ25
T-2764F	600	Φ30	72	Φ25



T-2764
MATERIAL: Stainless Steel or Brass



T-2760
MATERIAL: Stainless Steel or Brass





ITEM NO.	SIZE(mm)			
	A	B	C	D
T-2760A	200	400	62	Φ19
T-2760B	250	500	62	Φ19
T-2760C	250	500	72	Φ25
T-2760D	305	600	72	Φ25



T-2761
MATERIAL: Stainless Steel or Brass





ITEM NO.	SIZE(mm)			
	A	B	C	D
T-2761A	200	400	60	Φ19
T-2761B	250	500	60	Φ19
T-2761C	250	500	65	Φ25
T-2761D	305	600	65	Φ25



T-2762
MATERIAL: Stainless Steel or Brass




ITEM NO.	SIZE(mm)			
	A	B	C	D
T-2761A	250	500	72	Φ25



T-2763
MATERIAL: Stainless Steel or Brass




ITEM NO.	SIZE(mm)			
	A	B	C	D
T-2763	200	500	72	Φ25



SS02001

MATERIAL: Stainless Steel or Brass


ITEM NO.	SIZE(mm)					
	Φ	R	A	C	D	
SS02001A	22	25	200	75	30	
SS02001B	25	40	200	80	35	
SS02001C	25	40	300	80	35	
SS02001D	25	40	350	90	35	
SS02001E	32	55	350	90	35	
SS02001F	38	60	350	95	45	



SS02002

MATERIAL: Stainless Steel or Brass


ITEM NO.	SIZE(mm)						
	Φ	R	A	B	D	D	
SS02002A	22	25	200	100	75	30	
SS02002B	25	40	200	100	80	35	
SS02002C	25	40	300	100	80	35	
SS02002D	25	40	350	100	90	35	
SS02002E	32	55	350	140	90	35	
SS02002F	38	60	350	140	95	45	



SS02003

MATERIAL: Stainless Steel or Brass


ITEM NO.	SIZE(mm)						
	Φ	R	A	B	D	D	
SS02002A	22	25	200	100	75	30	
SS02002B	25	40	200	100	80	35	
SS02002C	25	40	300	100	80	35	
SS02002D	25	40	350	100	90	35	
SS02002E	32	55	350	140	90	35	
SS02002F	38	60	350	140	95	45	



Ss02004

MATERIAL: Stainless Steel or Brass


ITEM NO.	SIZE(mm)				
	Φ	A	B	D	D
SS02004A	25	350	390	65	35
SS02004B	32	350	390	65	35
SS02004C	38	350	390	65	35



SS02005

MATERIAL: Stainless Steel or Brass


ITEM NO.	SIZE(mm)					
	Φ	A	B	C	D	
SS02005A	25	150	400	80	38	
SS02005B	32	150	400	80	38	
SS02005C	38	150	400	80	38	



SS02006


MATERIAL: Stainless Steel or Brass

ITEM NO.	SIZE(mm)					
	Φ	A	B	C	D	
SS02006A	25	150	400	80	38	
SS02006B	32	150	400	80	38	
SS02006C	38	150	400	80	38	




SS02007

MATERIAL: Stainless Steel or Brass




SS02008

MATERIAL: Stainless Steel or Brass




SS02009

MATERIAL: Stainless Steel or Brass




SS02010


MATERIAL: Stainless Steel or Brass




SS02011 MATERIAL: Stainless Steel or Brass




SS02012 MATERIAL: Stainless Steel or Brass




SS02013 MATERIAL: Stainless Steel or Brass




SS02014 MATERIAL: Stainless Steel or Brass




SS02015 MATERIAL: Stainless Steel or Brass




SS02016 MATERIAL: Stainless Steel or Brass




SS02017 MATERIAL: Stainless Steel or Brass




SS02018 MATERIAL: Stainless Steel or Brass




SS02019 MATERIAL: Stainless Steel or Brass




SS02020 MATERIAL: Stainless Steel or Brass




SS02021 MATERIAL: Stainless Steel or Brass




SS02022 MATERIAL: Stainless Steel or Brass




SS02023 MATERIAL: Stainless Steel or Brass



SS02024 MATERIAL: Stainless Steel or Brass



SS02025 MATERIAL: Stainless Steel or Brass




SS02026 MATERIAL: Stainless Steel or Brass




T-2750

MATERIAL: Stainless Steel or Brass




T-2751

MATERIAL: Stainless Steel or Brass




T-2752

MATERIAL: Stainless Steel or Brass




T-2753

MATERIAL: Stainless Steel or Brass




T-2754

MATERIAL: Stainless Steel or Brass




T-2755

MATERIAL: Stainless Steel or Brass




T-2756

MATERIAL: Stainless Steel or Brass




T-2757

MATERIAL: Stainless Steel or Brass




S2950A-01

MATERIAL: Stainless Steel or Brass




S2950B-01

MATERIAL: Stainless Steel or Brass




T-2758

MATERIAL: Stainless Steel or Brass




T-2759

MATERIAL: Stainless Steel or Brass




T-2768

MATERIAL: Stainless Steel or Brass




T-2769


MATERIAL: Stainless Steel or Brass




S2950E-01

MATERIAL: Stainless Steel or Brass






MP2121-02




MP2323-02

ITEM NO.	Floor Spring Hinge Dimensions (Length x width x Depth)mm	Applicable Door Dimensions Maximun(width x Depth)mm	Maximun Door Width (kgs)
MP2121-02	250X100X49	700X2000	70-90
MP2323-02	300X100X49	800X2000	80-110



MP2626-02



MP2292-02

ITEM NO.	Floor Spring Hinge Dimensions (Length x width x Depth)mm	Applicable Door Dimensions Maximun(width x Depth)mm	Maximun Door Width (kgs)
MP2626-02	290X125X49	1000X2000	110-130
MP2292-02	305X110X45	1200X2200	130-150

FIGHTER

TOP SECURITY PRODUCT www.fighterlock.com

FURNITURE HAS ITS OWN SOUL,
WHICH CAN WHISPER GENTLY WITH OUR
SPRIT IN THE PEACEFUL MORNING AND POETIC DUSK.

家具亦擁有自身的靈魂，
在寧靜的晨光與詩意的黃昏中與我們的內心細語。

FURNITURE HARDWARE 家具五金



Drawer Slide
抽屜導軌



Cabinet Hinge
抽屜鉸



Furniture Feet
家具支腳



Bracket
支架



Furniture Handle
家具拉手




FGV S2909
Bottom-mounting(self-closing)drawer slide
MATERIAL: Steel



FGV-S2909-D
Self-closing drawer slide with special roller
MATERIAL: Steel






BLUM S2903
Bottom-mounting(self-closing)drawer slide
MATERIAL: Steel



BLUM-S2903-D
Self-closing drawer slide with special roller
MATERIAL: Steel

BORE DISTANCE



FGV-S2907
With clips(self-closing)drawer slide
MATERIAL: Steel



BLUM-S2908
With clips(self-closing)drawer slide
MATERIAL: Steel



FGV-S2907-J
With clips(self-closing)drawer slide equipped with plastic parts
MATERIAL: Steel





BLUM-S2908-J
With clips(self-closing)drawer slide equipped with plastic parts
MATERIAL: Steel



S2902
Self-closing type
MATERIAL: Stainless Steel

BORE DISTANCE





S2904
Side-mounting(self-closing)drawer slide
MATERIAL: Steel



S2901
Regular type
MATERIAL: Steel



S2905
Without wings (self-closing)drawer slide
MATERIAL: Steel



S2906
Keyboard slide
MATERIAL: Steel



ST-201
Special slide
MATERIAL: Steel



ST-202
Special slide
MATERIAL: Steel



CB-2118
MATERIAL: Steel




CB-2150
MATERIAL: Steel



CB-2054
MATERIAL: Steel



CB-286
MATERIAL: Steel








BS170


MATERIAL: Steel

ITEM NO.	Specification			
	Outer L1	Inner L2	A2	N
BS170-150	150	150	3	12
BS170-182	182	182	4	15
BS170-246	246	246	6	21
BS170-214	214	214	5	18
BS170-278	278	278	7	24
BS170-310	310	310	8	27
BS170-342	342	342	9	30




BS270

MATERIAL: Steel



ITEM NO.	Specification			
	Outer L1	Inner L2	A2	N
BS270-150	150	150	/	64
BS270-182	182	182	/	96
BS270-214	214	214	/	128
BS270-246	246	246	/	167
BS270-278	278	278	64	192
BS270-310	310	310	64	224
BS270-342	342	342	64	256
BS270-374	374	374	64	288
BS270-406	406	406	64	320
BS270-438	438	438	64	352



23501、23503 bayonet mounting full extension slide series:
Application: office furniture and home drawers (metal furniture).
Feature: with separable and stoping release latch, simple inserts type installation.
Load rating: 23kg(100 lb)/450mm(18 ").
Finish: electro-zinc plated with clear or color chromate, black chromate available.
Gap of installation: the installation gap between rails is 9.8^{+0.2}mm



23501

MATERIAL: Stainless Steel 、 Steel



23503

MATERIAL: Stainless Steel、 Steel

23504、23505A、23505B undersurface mounting slide series:
Application: computer keyboard drawer.
Feature: 32mm hole pattern for system mounting, 3/4 extension with separable and stopping releases latch (spring sheet) and with the installation supports on the outside part of slide.
Load rating: 23kg(50 lb)/450mm(18 ").
Finish: electro-zinc plated with clear or color chromate, black chromate available.



23504

MATERIAL: Stainless Steel、 Steel



23505A

MATERIAL: Stainless Steel、 Steel



23505B

MATERIAL: Stainless Steel、 Steel

23507、23508 over top or side open pocket door slide:

Application: invisible door for wall chest, television chest and office document storage system, may be installed horizontally or vertically (foldable and powerful elastic hinge is required to be installed).

Feature: can not be separated, with brake stopping structure; link lever is required to be installed to guarantee the synchronous sliding on every pair of rails.

Load rating: 9kg/450mm(18 ").

Finish: electro-zinc plated with clear or color chromate, black chromate available.



23507

MATERIAL: Stainless Steel、 Steel



23508-A

MATERIAL: Stainless Steel、 Steel

23508-B

MATERIAL: Stainless Steel、 Steel



24510

MATERIAL: Stainless Steel、 Steel



24516

MATERIAL: Stainless Steel、 Steel



24502-A

MATERIAL: Stainless Steel、 Steel



24502-B

MATERIAL: Stainless Steel、 Steel

24502 side support installation full extension slide series:

Application: office furniture, kitchen cabinets and home drawers.

Feature: with separable release latch, and enlarging the gap of installation.

Load rating: 45kg(100 lb)/450mm(18 ").

Finish: electro-zinc plated with clear or color chromate, black chromate available.

Gap of installation: the installation gap between rails is 32.7^{+0.2}mm.

24522 the installation gap between rails is 31.5^{+0.2}mm




Full Extension Ball Bearing Slide Series



24508

MATERIAL: Stainless Steel、 Steel



With self-lock equipment

Application: office furniture , home drawers and furniture.

Feature: full extension with brake position, self-closing, clips against out,electro-zinc plated. Can be separated by special hook with drawer and convenient for installation, Adopting smooth ball bearing. Low noise, smooth sliding, high load rating are the main advantages.


Load rating: 45kg/450mm(18 ")

Finish: electro-zinc plated with clear or color chromate, black chromate available.

Gap of installation: the installation gap between rails is 12.7^{+0.2}mm



24503、24504byonet full extension slide series:
Application: office furniture and home drawers (metal furniture).
Feature: with separable and stopping release latch, simple inserts type installation.
Load rating: 45kg(100 lb)/450mm(18 ").
Finish: electro-zinc plated with clear or color chromate, black chromate available.
Gap of installation: the installation gap between rails is 12.7^{+0.2}mm.




24503
MATERIAL: Stainless Steel、 Steel



24504B
MATERIAL: Stainless Steel、 Steel

24505、24509 full extension slide series:
Application: office furniture , kitchen cabinets and home drawers.
Feature: 32mm hole pattern for system monuting, separable and stopping release latch,fine adjustment for gap is allowed during fixing.
Load rating: 45kg(100 lb)/450mm(18 ").
Finish: electro-zinc plated with clear or color chromate, black chromate available.
Gap of installation: the installation gap between rails is 12.7^{+0.2}mm.



24505
MATERIAL: Stainless Steel、 Steel



24509
MATERIAL: Stainless Steel、 Steel



24509-B
MATERIAL: Stainless Steel、 Steel



24522
MATERIAL: Stainless Steel、 Steel



24523
MATERIAL: Stainless Steel、 Steel



24524
MATERIAL: Stainless Steel、 Steel


Thick support full extension slide series:
Application: office furniture,kitchen cabinets and home drawers.
Feature: With separable release latch, side support, 24516 side installation、 24522 support installation.
Load rating: 45kg(100 lb)/450mm(18 ").
Finish: electro-zinc plated with clear or color chromate, black chromate available.



Full Extension Ball Bearing Slide With Clips On Series



24525
MATERIAL: Stainless Steel、 Steel




With self-lock equipment




513-1-B
 Full overlay
MATERIAL: Steel



513-2-A
 Half overlay
MATERIAL: Steel




513-3-A
 Insert mounting
MATERIAL: Steel



514-2-B
 Half overlay
MATERIAL: Steel



H48
MATERIAL: Steel



■ **Hydaraulic Silent
Cabinet Hinge**
 液壓櫃鉸




511-1-A
 Full overlay
MATERIAL: Stainless Steel, Steel



511-2-A
 Half overlay
MATERIAL: Stainless Steel, Steel



511-3-A
 Insert mounting
MATERIAL: Stainless Steel, Steel





Hydraulic core



"Clip on type" available






507-1-B
 Full overlay
MATERIAL: Stainless Steel, Steel



507-2-B
 Half overlay
MATERIAL: Stainless Steel, Steel



507-3-B
 Insert mounting
MATERIAL: Stainless Steel, Steel



Mounting Plates



A



B



C




D




E




509-1-B
 Full overlay
MATERIAL: Steel



509-2-B
 Half overlay
MATERIAL: Steel



509-3-B
 Insert mounting
MATERIAL: Steel



618-2CP



CC-1001
 Size: 63mm 70mm



CC-1002
 Size: 50mm 60mm



CC-1003
 Size: 43mm 45mm




619-2AC





202-1WH




203-1WH








510-1-C
 Full overlay
MATERIAL: Steel



510-2-C
 Half overlay
MATERIAL: Steel



510-3-C
 Insert mounting
MATERIAL: Steel



Mounting Plates



A



B




C




D




E




FF2001CP
MATERIAL: Steel




FF2002CP
MATERIAL: Steel




FF2009CP
MATERIAL: Steel




FF2010CP
MATERIAL: Steel




FF2003CP
MATERIAL: Steel




FF2004CP
MATERIAL: Steel




FF2011CP
MATERIAL: Steel




FF2012CP
MATERIAL: Steel




FF2005CP
MATERIAL: Steel




FF2006CP
MATERIAL: Steel




FF2013CP
MATERIAL: Steel




FF2014CP
MATERIAL: Steel




FF2007CP
MATERIAL: Steel




FF2008CP
MATERIAL: Steel




FF2015CP
MATERIAL: Steel




FF2016CP
MATERIAL: Steel




FF2017CP
 MATERIAL: Steel




FF2018CP
 MATERIAL: Zinc Alloy




FF2025CP
 MATERIAL: Steel




FF2026CP
 MATERIAL: Steel




FF2019CP
 MATERIAL: Steel




FF2020CP
 MATERIAL: Steel




FF2021CP
 MATERIAL: Steel




FF2022CP
 MATERIAL: Steel




FF2023CP
 MATERIAL: Steel




FF2024CP
 MATERIAL: Steel




FF2027CP
 MATERIAL: Steel




21193-100
 MATERIAL: Steel




FF2028CP
 MATERIAL: Steel




FF2029CP
 MATERIAL: Steel




25221-100
 MATERIAL: Zinc Alloy




25221-125
 MATERIAL: Zinc Alloy




25221-150
 MATERIAL: Zinc Alloy




21192-100 / 125 / 150
MATERIAL: Steel



21122-128
MATERIAL: Steel



21094
MATERIAL: Steel




21123-115
MATERIAL: Steel




21100-150
MATERIAL: Steel



21127-90
MATERIAL: Steel



FF2029CP
MATERIAL: Zinc Alloy



FF2030CP
MATERIAL: Zinc Alloy



Normal Bracket
普通支架



NT001

SIZE: 1" 1.5" 2" 3" 4" 5" 6" 7" 8"
MATERIAL: Steel

NT002

SIZE: 6"x8" 8"x10" 10"x12" 12"x14"
MATERIAL: Steel

NT003

SIZE: 5"x6" 6"x8" 8"x10" 10"x12" 12"x14"
MATERIAL: Steel

Collapsible Bracket
可折叠支架




NT004

SIZE: 6"x6" 6"x8" 10"x12" 12"x14"
MATERIAL: Steel

NT005


SIZE: 6"x4" 8"x10" 10"x12" 12"x14"
MATERIAL: Steel

Normal Bracket
普通支架




AC600

MATERIAL: Steel



AC601

MATERIAL: Steel



AC602

MATERIAL: Steel



FH01001
75x17mm
MATERIAL: Stainless Steel



FH01002
75x17mm
MATERIAL: Stainless Steel



FH01003
75x17mm
MATERIAL: Stainless Steel



FH01004
75x17mm
MATERIAL: Stainless Steel



FH01005
70x70x17mm
MATERIAL: Stainless Steel



FH01006
89x89x17mm
MATERIAL: Stainless Steel



FH01007
44x62x12mm
MATERIAL: Stainless Steel



FH01007A
38x48x12mm
MATERIAL: Stainless Steel



FH01008A
50x13mm
MATERIAL: Stainless Steel



FH01008
40x12mm
MATERIAL: Stainless Steel



FH01009A
65x16mm 70x16mm
MATERIAL: Stainless Steel



FH01010
90x21mm
MATERIAL: Stainless Steel



FH01011
90x21mm
MATERIAL: Stainless Steel



FH01012
125x83x12mm
MATERIAL: Stainless Steel



FH01013
102x51x12mm
MATERIAL: Stainless Steel



FH01014
118x51x12mm
MATERIAL: Stainless Steel



FH01015
90x20x12mm
MATERIAL: Stainless Steel



FH01016
125x80x12mm
MATERIAL: Stainless Steel



FH01017
75x32x12mm
MATERIAL: Stainless Steel



FH01018
120x51x12mm
MATERIAL: Stainless Steel



FH01019
170x170x12mm
MATERIAL: Stainless Steel



FH01020
150x70x12mm
MATERIAL: Stainless Steel




FH01021
MATERIAL: Stainless Steel




FH01022
MATERIAL: Stainless Steel




HIGH QUALITY STAINLESS STEEL
FURNITURE HANDLES




ITEM NO.	Size A	Size C
2115.84.106	106mm	64mm
2115.84.138	138mm	96mm
2115.84.168	168mm	128mm
2115.84.200	200mm	160mm
2115.84.328	328mm	288mm




ITEM NO.	Size A	Size C
2115.80.001	136mm	96mm
2115.80.002	168mm	128mm
2115.80.003	200mm	160mm
2115.80.004	328mm	288mm



ITEM NO.	Size A	Size C
2104.74.061	106mm	96mm
2104.74.062	138mm	128mm
2104.74.063	202mm	192mm
2104.74.064	234mm	224mm
2104.74.065	330mm	320mm
2104.74.066	490mm	480mm



ITEM NO.	Size A	Size C
2115.70.001	116mm	96mm
2115.70.002	148mm	128mm
2115.70.003	212mm	192mm
2115.70.004	242mm	224mm
2115.70.005	340mm	320mm
2115.70.006	500mm	480mm
2115.70.007	692mm	672mm
2115.70.008	916mm	890mm
2115.70.009	1172mm	1152mm
2115.70.010	1426mm	1408mm



ITEM NO.	Size A	Size C
2111.096	102mm	96mm
2111.128	134mm	128mm
2111.160	166mm	160mm
2111.192	198mm	192mm
2111.224	230mm	224mm
2111.288	294mm	288mm
2111.320	326mm	320mm



Threaded Screws M4

Combined slot, suitable for flat or cross blades
Finish: steel, zinc-plated

ITEM NO.	Length
2022.35.109	10mm
2022.35.127	12mm
2022.35.154	15mm
2022.35.181	18mm
2022.35.207	20mm
2022.35.225	22mm
2022.35.234	23mm
2022.35.252	25mm
2022.35.289	28mm
2022.35.305	30mm
2022.35.350	35mm
2022.35.387	38mm
2022.35.403	40mm
2022.35.458	45mm
2022.35.501	50mm
2022.35.609	60mm
2022.35.750	75mm
2022.35.800	80mm
2022.35.850	85mm
2022.35.900	90mm
2022.35.950	95mm
2022.35.990	100mm

Packing:100 and 1000 purchase.



Threaded Breakoff Screw M4


Combined slot, suitable for flat or cross blades
Finish: steel, zinc-plated

ITEM NO.	Length
2022.35.887	1 3/4" x 3/4"


Packing:100 and 1000 purchase.




HIGH QUALITY STAINLESS STEEL
FURNITURE HANDLES



ITEM NO.	Size A	Size C
2115.60.601	102mm	96mm
2115.60.602	134mm	128mm
2115.60.603	166mm	160mm
2115.60.604	198mm	192mm
2115.60.605	230mm	224mm
2115.60.606	294mm	288mm
2115.60.607	326mm	320mm



ITEM NO.	Size A	Size C
2217.06.700	148mm	96mm
2217.06.710	178mm	128mm
2217.06.720	242mm	192mm
2217.06.730	274mm	224mm
2217.06.740	370mm	320mm
2217.06.750	530mm	480mm
2217.06.760	722mm	672mm
2217.06.770	946mm	896mm
2217.06.780	1202mm	1152mm
2217.06.790	1453mm	1408mm



ITEM NO.	Size A	Size C
2217.06.700	148mm	96mm
2217.06.710	178mm	128mm
2217.06.720	242mm	192mm
2217.06.730	274mm	224mm
2217.06.740	370mm	320mm
2217.06.750	530mm	480mm
2217.06.760	722mm	672mm
2217.06.770	946mm	896mm
2217.06.780	1202mm	1152mm
2217.06.790	1453mm	1408mm



SS221902

SIZE:128mm

MATERIAL: Stainless Steel



SS20113

SIZE:190mm

MATERIAL: Stainless Steel



SS20114

SIZE:1260mm

MATERIAL: Stainless Steel



SS20115

SIZE:190mm

MATERIAL: Stainless Steel



Threaded Screws M4

Combined slot, suitable for flat or cross blades
Finish: steel, zinc-plated

ITEM NO.	Length
2022.35.109	10mm
2022.35.127	12mm
2022.35.154	15mm
2022.35.181	18mm
2022.35.207	20mm
2022.35.225	22mm
2022.35.234	23mm
2022.35.252	25mm
2022.35.289	28mm
2022.35.305	30mm
2022.35.350	35mm
2022.35.387	38mm
2022.35.403	40mm
2022.35.458	45mm
2022.35.501	50mm
2022.35.609	60mm
2022.35.750	75mm
2022.35.800	80mm
2022.35.850	85mm
2022.35.900	90mm
2022.35.950	95mm
2022.35.990	100mm

Packing:100 and 1000 purchase.




Threaded Breakoff Screw M4

Combined slot, suitable for flat or cross blades
Finish: steel, zinc-plated

ITEM NO.	Length
2022.35.887	1 3/4" x 3/4"

Packing:100 and 1000 purchase.



ITEM NO.	Size A	Size C
2117.05.600	148mm	96mm
2117.05.610	178mm	128mm
2117.05.620	242mm	192mm
2117.05.630	274mm	224mm
2117.05.640	370mm	320mm
2117.05.650	530mm	480mm
2117.05.660	722mm	672mm
2117.05.670	946mm	896mm
2117.05.680	1202mm	1152mm
2117.05.690	1453mm	1408mm




Threaded Screws M4

Combined slot, suitable for flat or cross blades
Finish: steel, zinc-plated

ITEM NO.	Length
2022.35.109	10mm
2022.35.127	12mm
2022.35.154	15mm
2022.35.181	18mm
2022.35.207	20mm
2022.35.225	22mm
2022.35.234	23mm
2022.35.252	25mm
2022.35.289	28mm
2022.35.305	30mm
2022.35.350	35mm
2022.35.387	38mm
2022.35.403	40mm
2022.35.458	45mm
2022.35.501	50mm
2022.35.609	60mm
2022.35.750	75mm
2022.35.800	80mm
2022.35.850	85mm
2022.35.900	90mm
2022.35.950	95mm
2022.35.990	100mm

Packing:100 and 1000 purchase.



ITEM NO.	Size A	Size C
2117.06.600	148mm	96mm
2117.06.610	178mm	128mm
2117.06.620	242mm	192mm
2117.06.630	274mm	224mm
2117.06.640	370mm	320mm
2117.06.650	530mm	480mm
2117.06.660	722mm	672mm
2117.06.670	946mm	896mm
2117.06.680	1202mm	1152mm
2117.06.690	1453mm	1408mm

ITEM NO.	Size A	Size C
2116.39.101	65mm	64mm(3")
2116.39.102	77mm	76mm(3")
2116.39.103	90mm	89mm(3.5")
2116.39.104	97mm	96mm(3.75")
2116.39.105	102mm	101mm(4")
2116.39.106	129mm	128mm(5")

ITEM NO.	Size A	Size C
2116.39.64	72mm	64mm
2116.39.76	84mm	76mm(3")
2116.39.96	104mm	96mm
2116.39.128	134mm	128mm(5")




Threaded Breakoff Screw M4

Combined slot, suitable for flat or cross blades
Finish: steel, zinc-plated

ITEM NO.	Length
2022.35.887	1 3/4" x 3/4"

Packing:100 and 1000 purchase.



ITEM NO.	Size A	Size C
291540	130mm	128mm
291541	162mm	160mm
291542	194mm	192mm
291543	226mm	224mm
291544	258mm	256mm
291545	286mm	284mm
291546	322mm	320mm
291547	386mm	384mm
291548	482mm	480mm
291549	592mm	590mm



ITEM NO.	Size A	Size C
SS20124	151mm	128mm



ITEM NO.	Size A	Size C
SS20135	135mm	127mm



ITEM NO.	Size A	Size C
SS20131	131mm	96mm



ITEM NO.	Size A	Size C
SS20103	175mm	128mm



ITEM NO.	Size A	Size C
SS20165	165mm	128mm



ITEM NO.	Size A	Size C
SS20103A	175mm	128mm



ITEM NO.	Size A	Size C
ZN20114SC	143mm	76 mm



ITEM NO.	Size A	Size C
ZN20118SC	143mm	76 mm



ITEM NO.	Size A	Size C
ZN2034AB	148mm	128mm



ITEM NO.	Size A	Size C
ZN2034AC	190mm	190mm



ITEM NO.	Size A	Size C
ZN2032PB	120mm	120mm



ITEM NO.	Size A	Size C
ZN2033PB	170mm	170mm



ITEM NO.	Size A	Size C
ZN2035AC	148mm	128mm



ITEM NO.	Size A	Size C
ZN2035AB	148mm	128mm



ITEM NO.	Size A	Size C
ZN2035AB	116mm	96mm



ITEM NO.	Size A	Size C
CO038WHPB	128mm	96mm



ITEM NO.	Size A	Size C
C20117AB	86mm	76mm




ITEM NO.	Size A	Size C
C0031, C0038	128mm	96mm




ITEM NO.	Size A	Size C
CO032AB	110mm	76mm




ITEM NO.	Size A	Size C
ZN20124AB	124mm	76mm




ITEM NO.	Size A	Size C
ZN20020SS	145mm	128mm




ITEM NO.	Size A	Size C
SS21123	123mm	92mm




ITEM NO.	Size A	Size C
SS22120	120mm	96mm




ITEM NO.	Size A	Size C
SS23130	130mm	96mm




ITEM NO.	Size A	Size C
ZN20019SS	160mm	128mm




ITEM NO.	Size A	Size C
ZN20001CR	194mm	128mm




ITEM NO.	Size A	Size C
ZN20002CR	196mm	128mm




ITEM NO.	Size A	Size C
ZN20003CR	196mm	160mm




ITEM NO.	Size A	Size C
ZN20004CR	170mm	128mm




ITEM NO.	Size A	Size C
ZN20005CR	170mm	128mm




ITEM NO.	Size A	Size C
ZN20006CR	198mm	160mm




ITEM NO.	Size A	Size C
ZN20007CR	198mm	128mm




ITEM NO.	Size A	Size C
ZN20008CR	172mm	160mm




ITEM NO.	Size A	Size C
SS20009SS	172mm	160mm




ITEM NO.	Size A	Size C
ZN20008SS	172mm	160mm




ITEM NO.	Size A	Size C
SS20010SS	196mm	128mm




ITEM NO.	Size A	Size C
AL20011	196mm	128mm




ITEM NO.	Size A	Size C
ZN20012SS	254mm	224mm




ITEM NO.	Size A	Size C
ZN20013SS	190mm	160mm




ITEM NO.	Size A	Size C
ZN20014SS	172mm	160mm




ITEM NO.	Size A	Size C
ZN20015SS	174mm	160mm



ITEM NO.	Size A	Size C
ZN20016SS	121mm	96mm



ITEM NO.	Size A	Size C
ZN20017SS	185mm	128mm



ITEM NO.	Size A	Size C
ZN20018SS	167mm	160mm



ITEM NO.	Size A	Size C
SS20072	72mm	64mm



ITEM NO.	Size A	Size C
SS20078	78mm	64mm



ITEM NO.	Size A	Size C
SS20082	82mm	64mm



ITEM NO.	Size A	Size C
SS20096	106mm	96mm



ITEM NO.	Size A	Size C
SS20103	103mm	66mm



ITEM NO.	Size A	Size C
SS20104	104mm	96mm



ITEM NO.	Size A	Size C
SS20105	103mm	94mm



ITEM NO.	Size A	Size C
SS20106	106mm	96mm



ITEM NO.	Size A	Size C
SS20111	111mm	64mm



ITEM NO.	Size A	Size C
SS20107	111mm	96mm



ITEM NO.	Size A	Size C
SS20011	71mm	64mm



ITEM NO.	Size A	Size C
SS2019	120mm	96mm



ITEM NO.	Size A	Size C
SS2020	111mm	96mm



ITEM NO.	Size A	Size C
SS20050	50mm	32mm



C02012-96 PN
MATERIAL: Zinc Alloy



C02040-196 PN
MATERIAL: Zinc Alloy



C02040-96 PB
MATERIAL: Zinc Alloy



C02040-76 SB
MATERIAL: Zinc Alloy



C034-96 CHROME
MATERIAL: Zinc Alloy



C015-96 SS
MATERIAL: Zinc Alloy



C001-64 PN
MATERIAL: Zinc Alloy



C002-64 PN
MATERIAL: Zinc Alloy



C005-76 PN
MATERIAL: Zinc Alloy



C009-76 PN
MATERIAL: Zinc Alloy



C011-76 SS
MATERIAL: Zinc Alloy



C013-96 SS
MATERIAL: Zinc Alloy



C014-96 SS
MATERIAL: Zinc Alloy



C017-76 SS
MATERIAL: Zinc Alloy



C018-76 BL
MATERIAL: Zinc Alloy



C023-76 GOLD
MATERIAL: Zinc Alloy



C022-76 GOLD
MATERIAL: Zinc Alloy



2026-96 CP
MATERIAL: Zinc Alloy



2027-128 CP
MATERIAL: Zinc Alloy



2028-96 PN
MATERIAL: Zinc Alloy



2029-96 SS
MATERIAL: Zinc Alloy



2030-96 SS
MATERIAL: Zinc Alloy



2031-96 SS
MATERIAL: Zinc Alloy



2031-128 SS
MATERIAL: Zinc Alloy

 HIGH QUALITY FURNITURE HANDLES  TOP SECURITY PRODUCT			 HIGH QUALITY FURNITURE HANDLES  TOP SECURITY PRODUCT		
FURNITURE HANDLES 家具拉手  SS2001 MATERIAL: Zinc Alloy  SS2002 MATERIAL: Zinc Alloy  SS2003 MATERIAL: Zinc Alloy			 SB2013 MATERIAL: Zinc Alloy  SB2014 MATERIAL: Zinc Alloy  ZN2014 BK MATERIAL: Zinc Alloy		
 SS2004 MATERIAL: Zinc Alloy  SS2006 MATERIAL: Zinc Alloy  ZN2007 PB MATERIAL: Zinc Alloy			 SB2015 MATERIAL: Zinc Alloy  ZN2017CR MATERIAL: Zinc Alloy  SB 2017AB MATERIAL: Zinc Alloy		
 ZN2007SS MATERIAL: Zinc Alloy  SS2008 MATERIAL: Zinc Alloy  SS2009 MATERIAL: Zinc Alloy			 2N2018ABH MATERIAL: Zinc Alloy  2N2018 PB MATERIAL: Zinc Alloy  ZN2019AB MATERIAL: Zinc Alloy		
 SS2010 MATERIAL: Zinc Alloy  SS2011 MATERIAL: Zinc Alloy  SS2012 MATERIAL: Zinc Alloy			 ZN2021 MATERIAL: Zinc Alloy  ZN2022AB MATERIAL: Zinc Alloy  ZN2023 D36 MATERIAL: Zinc Alloy		

Door Hardware

Glass Hardware

Furniture Hardware

Bathroom Hardware

Windows Hardware



R2024WH
MATERIAL: Zinc Alloy



R2025WH
MATERIAL: Zinc Alloy



2N 2020SC
MATERIAL: Zinc Alloy



R036PN
MATERIAL: Zinc Alloy



R035PB
MATERIAL: Zinc Alloy



R030AB
SIZE:Φ32mm
MATERIAL: Zinc Alloy



R019 PN/CR
MATERIAL: Zinc Alloy



R2026WE
MATERIAL: Zinc Alloy



R029AB
MATERIAL: Zinc Alloy



R030 RAB
MATERIAL: Zinc Alloy



R033 BNBOL
MATERIAL: Zinc Alloy



R034PB-WH
MATERIAL: Zinc Alloy



R031
MATERIAL: Zinc Alloy



R032SS
SIZE:Φ31mm
MATERIAL: Zinc Alloy



R024 BL
MATERIAL: Zinc Alloy



R002 G-L
MATERIAL: Zinc Alloy



R028
MATERIAL: Zinc Alloy



R005 BN/G-M
MATERIAL: Zinc Alloy



R026 PN
MATERIAL: Zinc Alloy



R020 PN
MATERIAL: Zinc Alloy



ZN2003 10B
MATERIAL: Zinc Alloy



R018 PN/G
MATERIAL: Zinc Alloy



ZN2037-160 SS
MATERIAL: Zinc Alloy



C20115RAC
MATERIAL: Zinc Alloy

FIGHTER

TOP SECURITY PRODUCT www.fighterlock.com

GATHERING THE ART AND FASHION INTO ONE,
IS NOT ONLY NOTIONAL MODEL IN MODERN VOGUE,
BUT ALSO CREATES TO APPEAR THE NEW CONCEPT IN BATHROOM ON BEHALF.

集藝術與潮流於一體，既是現代時尚觀念的典範，
更是一種現代衛浴的新概念。

BATHROOM

HARDWARE 衛浴五金



Net Rack
儲物架



Towel Rack
毛巾架



Clothes Hanger
挂衣架



Cup Holder
杯托




Dressing Mirror
化妝鏡




Paper Holder
紙巾筒




Bathroom
Accessory
洗手液箱




GLASS TO GLASS 180°




GLASS TO FLOOR




GLASS TO GLASS 180°




GLASS TO GLASS 180°




GLASS TO GLASS 135°




GLASS TO GLASS 135°




GLASS TO GLASS 90°




GLASS TO GLASS 90°




GLASS TO FLOOR



GLASS TO FLOOR




GLASS TO FLOOR




GLASS TO FLOOR


FEATURES : For 8-10mm glass **LENGTH :** 7' (2.13M)




H22101
350x120x45mm
MATERIAL: Stainless Steel



H22102
400x120x90mm
MATERIAL: Stainless Steel



H22103
450x125x80mm
MATERIAL: Stainless Steel




H22104
350x120x80mm
MATERIAL: Stainless Steel



H22105
300x120x90mm
MATERIAL: Stainless Steel




H22106
200x120x60mm
MATERIAL: Stainless Steel




H22107
250x115x60mm
MATERIAL: Stainless Steel



H22108
200x200x90mm
MATERIAL: Stainless Steel



H22109
260x260x80mm
MATERIAL: Stainless Steel



H22110
225x225x55mm
MATERIAL: Stainless Steel



K2001-01
670x75x30mm
Single-rod Towel Rack
MATERIAL: Stainless Steel



K2001-02
670x147x30mm
Double-rod Towel Rack
MATERIAL: Stainless Steel



K2001-03
670x252x143mm
Bath Towel Rack
MATERIAL: Stainless Steel



K2003-01
650x70x65mm
Single-rod Towel Rack
MATERIAL: Stainless Steel



K2003-02
650x130x65mm
Double-rod Towel Rack
MATERIAL: Stainless Steel



K2003-03
650x236x158mm
Bath Towel Rack
MATERIAL: Stainless Steel



K2002-01
675x82x57mm
Single-rod Towel Rack
MATERIAL: Stainless Steel



K2002-02
670x147x30mm
Double-rod Towel Rack
MATERIAL: Stainless Steel



K2002-03
675x280x142mm
Bath Towel Rack
MATERIAL: Stainless Steel



K2004-01
600x70x45mm
Single-rod Towel Rack
MATERIAL: Stainless Steel



K2004-02
600x128x45mm
Double-rod Towel Rack
MATERIAL: Stainless Steel



K2004-03
600x228x105mm
Bath Towel Rack
MATERIAL: Stainless Steel



K2005-01
600x70x22mm
Single-rod Towel Rack
MATERIAL: Stainless Steel



K2005-02
600x128x22mm
Double-rod Towel Rack
MATERIAL: Stainless Steel



K2006-01
600x195x100mm
Double-rod Towel Rack
MATERIAL: Stainless Steel



K2006-02
600x265x100mm
Single-rod Towel Rack
MATERIAL: Stainless Steel



K2007-01
155x63x112mm
Toilet Paper Holder
MATERIAL: Stainless Steel



K2008-01
350x120x70mm
Shower Caddy
MATERIAL: Stainless Steel



K2009-01
504x90x57mm
Activity Double-rod Towel Rack
MATERIAL: Stainless Steel

Double-tier Bath Towel Rack
雙層浴巾架



E-26101-01
533x235x175mm
MATERIAL: Stainless Steel



E-6108-01
533x235x175mm
MATERIAL: Stainless Steel



E-6111-01
630x210x157mm
MATERIAL: Stainless Steel



E-6103-01
533x246x175mm
MATERIAL: Stainless Steel



E-6106-01
533x235x175mm
MATERIAL: Stainless Steel

Towel Ring
毛巾環



K2010-01
160x65x180mm
MATERIAL: Stainless Steel



K2010-02
165x56x195mm
MATERIAL: Stainless Steel



K2010-03
185x65x170mm
MATERIAL: Stainless Steel



K2010-04
170x65x170mm
MATERIAL: Stainless Steel



K2010-05
165x65x170mm
MATERIAL: Stainless Steel



ZN0272CR
165x65x170mm
MATERIAL: Zinc Alloy




ZN0271SN
165x65x170mm
MATERIAL: Zinc Alloy



ZN0273
165x65x170mm
MATERIAL: Zinc Alloy


Glass Platform
玻璃平台




P200501
530x135x53mm




P200502
530x140x65mm
MATERIAL: Stainless Steel



P200503
530x130x87mm
MATERIAL: Stainless Steel



P200504
535x156x57mm
MATERIAL: Stainless Steel



P200505
535x136x70mm
MATERIAL: Stainless Steel



K2011-01
58x40x30mm
MATERIAL: Stainless Steel



K2011-02
70x65x50mm
MATERIAL: Stainless Steel



K2011-03
70x55x40mm
MATERIAL: Stainless Steel



K2011-04
60x58x57mm
MATERIAL: Stainless Steel



H20611SS/AL
208x30x35mm
MATERIAL: Stainless Steel



H20612SS/AL
208x30x35mm
MATERIAL: Stainless Steel



H20617SS/AL
208x30x40mm
MATERIAL: Stainless Steel



H20618SS/AL
208x30x40mm
MATERIAL: Stainless Steel




H20619SL/SS/AL
208x30x30mm
MATERIAL: Stainless Steel



H20619WA/SP/AL
208x30x30mm
MATERIAL: Stainless Steel



H20620SS/AL
208x30x40mm
MATERIAL: Stainless Steel



H20620SP/AL
208x30x40mm
MATERIAL: Stainless Steel



H2008
208x30x35mm
MATERIAL: Zinc Alloy



H20610
MATERIAL: Stainless Steel



K2012-01
260x48x38mm
MATERIAL: Stainless Steel



K2013-01
46x40x30mm
MATERIAL: Stainless Steel



K2012-02
488x48x38mm
MATERIAL: Stainless Steel



K2012-03
620x48x38mm
MATERIAL: Stainless Steel



H620
HOOK:3、4、5、6、7、8、
MATERIAL: Stainless Steel




H20621
HOOK:3、4、5、6、7、8、
MATERIAL: Stainless Steel



K2013-03
338x40x30mm
MATERIAL: Stainless Steel



H20619
HOOK:3、4、5、6、7、8、
MATERIAL: Stainless Steel



K2013-04
402x40x30mm
MATERIAL: Stainless Steel



K2013-02
274x40x30mm
MATERIAL: Stainless Steel

Brush Holders
刷握



K2014-01
180x145x45mm
MATERIAL: Stainless Steel



K2014-02
155x135x22mm
MATERIAL: Stainless Steel



K2014-03
158x108x30mm
MATERIAL: Stainless Steel



K2014-04
148x106x65mm
MATERIAL: Stainless Steel



K2014-05
101x146x57mm
MATERIAL: Stainless Steel

Cup Holders
杯架



K2015-01
138x75x30mm
Single cup holder
MATERIAL: Stainless Steel



K2015-02
122x95x65mm
Single cup holder
MATERIAL: Stainless Steel



K2015-03
65x113x57mm
Single cup holder
MATERIAL: Stainless Steel



K2015-04
155x120x22mm
Single cup holder
MATERIAL: Stainless Steel



K2015-05
156x120x22mm
Single cup holder
MATERIAL: Stainless Steel



K2015-06
225x120x22mm
Double cup holder
MATERIAL: Stainless Steel



K2015-07
255x132x45mm
Double cup holder
MATERIAL: Stainless Steel



K2016-01
122x95x65mm
Soap Dish holder
MATERIAL: Stainless Steel



K2016-02
68x113x57mm
Soap Dish holder
MATERIAL: Stainless Steel




K2016-03
138x75x30mm
Soap Dish holder
MATERIAL: Stainless Steel



K2016-04
180x132x45mm
Soap Dish holder
MATERIAL: Stainless Steel



K225
250x250mm
Sun Corner Planes
MATERIAL: Stainless Steel




K2225A
250x250mm
Trans planes Corner
MATERIAL: Stainless Steel



H290206
MATERIAL: Stainless Steel



H290207
MATERIAL: Stainless Steel



H290208
MATERIAL: Stainless Steel



H290209
MATERIAL: Stainless Steel



H290210
MATERIAL: Stainless Steel



H290211
MATERIAL: Stainless Steel



H290212
MATERIAL: Stainless Steel



H290213
MATERIAL: Stainless Steel



H290214
MATERIAL: Stainless Steel



H290215
MATERIAL: Stainless Steel



H290216
MATERIAL: Stainless Steel




H290217
MATERIAL: Stainless Steel




H290218
MATERIAL: Stainless Steel




K-28200-02
MATERIAL: Stainless Steel




K-28201-02
MATERIAL: Stainless Steel




K-28202-02
MATERIAL: Stainless Steel




K-28203-02
MATERIAL: Stainless Steel




K-28204-02
MATERIAL: Stainless Steel




K-28205-02
MATERIAL: Stainless Steel



K-28206-02
MATERIAL: Stainless Steel



K-28207-02
MATERIAL: Stainless Steel



K2017-01
135x85x125mm
MATERIAL: Stainless Steel



K2017-02
135x785x115mm
MATERIAL: Stainless Steel



K2017-03
135x121x65mm
MATERIAL: Stainless Steel



K2017-04
132x80x130mm
MATERIAL: Stainless Steel




K28309
MATERIAL: Stainless Steel



K28331
MATERIAL: Stainless Steel



K28307
315x215mm
MATERIAL: Stainless Steel



K28308
128x125mm
MATERIAL: Stainless Steel




■ Recessed Type
Paper Holder
埋入式紙架



K-28303

MATERIAL: Stainless Steel



K-28304

MATERIAL: Stainless Steel

■ Recessed Type
Paper Holder
With Ashtray
煙灰缸凹式紙架



K-28305

MATERIAL: Stainless Steel



K-28306

MATERIAL: Stainless Steel



K-28203

MATERIAL: Stainless Steel



K-28202

MATERIAL: Stainless Steel



■ Glass Connectors
洗手液箱



K2018-01

One hole dispenser

MATERIAL: Stainless Steel



K2018-02

One hole dispenser

MATERIAL: Stainless Steel



K2018-03

One hole dispenser

MATERIAL: Stainless Steel



K2018-04

One hole dispenser

MATERIAL: Stainless Steel



K2019-01

Two hole dispenser

MATERIAL: Stainless Steel



K2020-01

Three hole dispenser

MATERIAL: Stainless Steel



G26188-1

Clothes line

MATERIAL: Stainless Steel

G26188-2

Clothes line

MATERIAL: Stainless Steel



K28306-02

Trash can with pedal

CAPACITY: 3L 5L 8L 12L

MATERIAL: Stainless Steel



K25007-01

dispenser

MATERIAL: Stainless Steel

FIGHTER

TOP SECURITY PRODUCT www.fighterlock.com

SIMPLICITY IS A MYSTERIOUS BEAUTY,
WHICH EXPRESS THE FREEDOM
AND AUTHENTICITY WITHOUT ANY DECORATION.

極簡主義是一種神秘的美，不加雕琢的表現真實和自由。

OTHER HARDWARE

其他五金



Net Rack
窗撐



Towel Rack
窗插銷



Cast Floor Drain
地漏

Windows Bolt
窗扣



B010WH
MATERIAL: Steel


B011WH
MATERIAL: Steel

712CP
MATERIAL: Zinc Alloy

712AB
MATERIAL: Zinc Alloy


712WH
MATERIAL: Zinc Alloy

513WH
MATERIAL: Zinc Alloy



WA201QB
MATERIAL: Zinc Alloy

WA203QB
MATERIAL: Zinc Alloy



WA206QB
MATERIAL: Stainless Steel

WA207QB
MATERIAL: Brass

Windows Support
窗撑



SS-2007
Stainless steel window adjuster

WA202QB
Zinc alloy window adjuster

WA204QB
Zinc alloy window adjuster

WA205QB
Brass window adjuster

SS-2008
MATERIAL: Stainless Steel

American
Window Locks
美式窗锁



SASL02 SL

B001

B002

B003

SASL01 PB

B004

B005

A006PB

A007PB

A008PB

A009PB

B013WH

■ Stainless Steel Cast Floor Drain
不銹鋼地漏



SS-23812
120x120mm
MATERIAL: Stainless Steel



SS-23813
100x100mm
MATERIAL: Stainless Steel



SS-23814
75x75mm
MATERIAL: Stainless Steel



SS-23815
50x50mm
MATERIAL: Stainless Steel



SS-23816
120x120mm
MATERIAL: Stainless Steel



SS-23817
100x100mm
MATERIAL: Stainless Steel



SS-23818
75x75mm
MATERIAL: Stainless Steel



SS-23819
50x50mm
MATERIAL: Stainless Steel



SS-23820
Φ120mm
MATERIAL: Stainless Steel



SS-23821
Φ100mm
MATERIAL: Stainless Steel



SS-23822
Φ75mm
MATERIAL: Stainless Steel



SS-23823
Φ50mm
MATERIAL: Stainless Steel



SS-23824
Φ120mm
MATERIAL: Stainless Steel




SS-23825
Φ100mm
MATERIAL: Stainless Steel



SS-23826
Φ75mm
MATERIAL: Stainless Steel



SS-23827
Φ50mm
MATERIAL: Stainless Steel





Up to now, over 50 countries have established cooperative relationships with our company.

一路走来，中山太星制锁有限公司已经与超过50个国家的企业建立合作关系。